

**SERVICE PARTS CATALOGUE
LISTE DE PIECES DE RECHANGE
ERSATZTEILLISTE
CATALOGO PEZZI DI RICAMBIO
ONDERDELENLIJST**

NEW HOLLAND

**939A3, 939A4 AND
939A6 AUGER BASES
939N3, 939R3, 939N4, 939N5-
939R4 & 939N6 ROW CROPS
919W3 & 919W4 WINDROW PICK-UP**

8 - 87

REPLACES ALL PREVIOUS ISSUES

ISSUE 9506830 4



MODEL 939 AUGER BASE
w/939 N4 ROW CROP

CONTENTS

MODELS 939A AUGER BASES

GROUP	PAGE NUMBER
AUGER	12, 13, 14, 15
AUGER DRIVE	16
CHANGE SPROCKETS	18 thru 25
DRIVE GROUP, MAIN, 939A3	18, 19
DRIVE GROUP, MAIN, 939A4	20, 21
DRIVE GROUP, MAIN, 939A6	22, 23, 24, 25
FRAME AND FLOOR GROUP	8, 9, 10, 11
RAISED AUGER FLOOR BUNDLE (OPTIONAL)	17
SHIELDING	8, 9, 10, 11
SLIP CLUTCH	16
SPROCKET, MAIN DRIVE	18 thru 25

MODEL 919 WINDROW PICK-UP

DRIVE GROUP	66, 67, 68, 69
FINGER, PICK-UP	66, 67, 68, 69
FRAME	64, 65
GUARD, PICK-UP	66, 67, 68, 69
GUIDE WHEELS, OPTIONAL	70
PICK-UP	66, 67, 68, 69
SKID SHOES	64, 65
SLIP CLUTCH	66, 67, 68, 69

MODELS 939N3 AND 939R3 ROW CROPS

CHAINBOARDS	38 thru 43
DIVIDERS, OUTER, NON-POWERED	62, 63
DIVIDERS, OUTER, POWERED	58, 59, 60, 61
DIVIDER POINTS	26 thru 31
DRIVE GATHERING CHAIN	50, 51, 52, 53
DRIVE, MAIN	56, 57
FRAME	38 thru 43
GATHERING CHAINS	50, 51, 52, 53
HEX SHAFT, DRIVE	56, 57
KNIFE	50, 51, 52, 53
RC80 CONVERSION KIT	54
SHIELDS	26 thru 31
SIDE SHEETS	38 thru 43
SKID SHOES	38 thru 43
SLIP CLUTCH	56, 57
STALK BUMPER	26 thru 31
SUPPORT STAND	38 thru 43

MODELS 939N4 AND 939R4 ROW CROPS

CHAINBOARDS	44 thru 49
DIVIDERS, OUTER, NON-POWERED	62, 63
DIVIDERS, OUTER, POWERED	58, 59, 60, 61
DIVIDER POINTS	32 thru 37
DRIVE, GATHERING CHAINS	50, 51, 52, 53
DRIVE, MAIN	56, 57
FRAME	44 thru 49
GATHERING CHAINS	50, 51, 52, 53
HEX SHAFT, DRIVE	56, 57
KNIFE	50, 51, 52, 53
RC80 CONVERSION KIT	54
SHIELDS	32 thru 37

CONTINUE

CONTENTS (CONTINUED)

MODEL 939N4 AND 939R4 ROW CROPS (CONTINUED)

GROUP	PAGE NUMBER
SIDE SHEETS	44 thru 49
SKID SHOES	44 thru 49
SLIP CLUTCH	56, 57
STALK BUMPER	32 thru 37
SUPPORT STAND	44 thru 49

MODEL 939N5 AND 939N6 ROW CROPS

CHAIN BOARDS	44 thru 49
DIVIDERS, OUTER	58, 59, 60, 61
DIVIDER POINTS	32 thru 37
DRIVE, GATHERING CHAINS	50, 51, 52, 53
DRIVE, MAIN	56, 57
FRAME	44 thru 49
GATHERING CHAINS	50, 51, 52, 53
HEX SHAFT, DRIVE	56, 57
KNIFE	50, 51, 52, 53
RC80 CONVERSION KIT	54
SHIELDS	32 thru 37
SIDE SHEETS	44 thru 49
SKID SHOES	44 thru 49
SLIP CLUTCH	56, 57
STALK BUMPER	32 thru 37
SUPPORT STAND	44 thru 49

RECOMMENDED INITIAL PARTS STOCK 71, 72

METRIC HARDWARE AND CONVERSION 6, 7

DECAL SET FOR ALL AUGER BASES AND ATTACHMENTS -- PART NO. 707890

METRIC AND INCH HARDWARE

ALLOWANCES HAVE BEEN MADE IN PUNCHED AND DRILLED HOLES TO ALLOW INTERCHANGEABILITY OF METRIC AND INCH DIMENSION HARDWARE IN FASTENING AND MOUNTING APPLICATIONS. HOWEVER, THIS INTERCHANGEABILITY DOES NOT APPLY TO TAPPED HOLES OR USING METRIC DIMENSION NUTS ON INCH CAP SCREWS, STUDS AND BOLTS. LIKEWISE, INCH DIMENSION NUTS CANNOT BE USED ON METRIC CAP SCREWS, STUDS OR BOLTS.

FOLLOWING IS A LISTING OF COMMON SIZES FOR SUBSTITUTION.

INCHES	MILLIMETERS
SCREW DIAMETER	
3/16"	5mm
1/4"	6mm
5/16"	8mm
* 3/8"	*10mm
1/2"	12mm
9/16"	14mm
5/8"	16mm
SCREW LENGTH	
5/8"	15mm
3/4"	20mm
* 1"	*25mm
1 1/4"	30mm
1 3/8"	35mm
1 1/2"	40mm
1 3/4"	45mm
2"	50mm
2 1/4"	60mm
2 3/4"	70mm
3"	80mm
3 1/2"	90mm
4"	100mm

*EXAMPLE: FOR MOST APPLICATIONS A 3/8" x 1" CAP SCREW AND NUT CAN BE REPLACED BY A 10mm x 25mm CAP SCREW AND NUT.


FOR ADDITIONAL SIZE INFORMATION AND POSSIBLE SUBSTITUTIONS, EITHER INCH TO METRIC OR METRIC TO INCH, PLEASE REFER TO THE CONVERSION TABLE IN THIS CATALOG.

CONVERSION TABLE

INCH FRACTIONS AND DECIMALS TO MILLIMETER EQUIVALENTS

INCHES		mm	INCHES		mm	INCHES		mm	INCHES		mm
Fract.	Dec.		Fract.	Dec.		Fract.	Dec.		Fract.	Dec.	
—	.0004	.01	—	.3	7.620	—	.7874	20	—	1.969	50
—	.001	.0250	5/16	.3125	7.938	51/64	.7969	20.241	2	2.000	50.8
—	.0039	.10	—	.3150	8	13/16	.8125	20.638	2 1/8	2.125	54
—	.005	.127	21/64	.3281	8.334	—	.8268	21	—	2.165	55
—	.0079	.2	—	.3346	8.5	53/64	.8281	21.034	2 1/4	2.250	57.2
—	.0098	.25	11/32	.3438	8.731	27/32	.8438	21.431	—	2.362	60
—	.01	.254	—	.3543	9	55/64	.8594	21.828	2 3/8	2.375	60.3
—	.0118	.3	23/64	.3594	9.128	—	.8662	22	2 1/2	2.500	63.5
1/64	.0156	.397	—	.3740	9.5	7/8	.8750	22.225	—	2.559	65
—	.0157	.4	3/8	.375	9.525	57/64	.8906	22.622	2 5/8	2.625	66.7
—	.0197	.5	25/64	.3906	9.922	—	.9	22.860	2 3/4	2.750	69.9
—	.0236	.6	—	.3937	10	—	.9055	23	—	2.756	70
—	.025	.635	—	.4	10.160	29/32	.9063	23.019	2 7/8	2.875	73
—	.0276	.7	13/32	.4062	10.319	59/64	.9219	23.416	—	2.953	75
—	.0295	.75	—	.4134	10.5	15/16	.9375	23.813	3	3.000	76.2
1/32	.0313	.794	27/64	.4219	10.716	—	.9449	24	—	3.150	80
—	.0315	.8	—	.4331	11	61/64	.9531	24.209	3 1/4	3.250	82.6
—	.0354	.9	7/16	.4375	11.113	31/32	.9688	24.606	—	3.346	85
—	.0394	1	29/64	.4531	11.509	—	.9843	25	3 1/2	3.500	88.9
3/64	.0469	1.191	15/32	.4688	11.906	1	1.000	25.400	—	3.543	90
—	.0472	1.2	—	.4724	12	—	1.024	26	—	3.740	95
—	.05	1.270	31/64	.4844	12.303	1 1/16	1.062	26.988	3 3/4	3.750	95.3
—	.0551	1.4	—	.4921	12.5	—	1.063	27	—	3.937	100
—	.0591	1.5	1/2	.5	12.700	—	1.102	28	4	4.000	101.6
1/16	.0625	1.588	—	.5118	13	1 1/8	1.125	28.575	—	4.331	110
—	.0669	1.7	33/64	.5156	13.097	—	1.142	29	4 1/2	4.500	114.3
—	.075	1.905	17/32	.5326	13.494	—	1.181	30	—	4.724	120
5/64	.0781	1.984	—	.5315	13.5	1 3/16	1.188	30.16	5	5.000	127
—	.0787	2	35/64	.5469	13.891	—	1.221	31	—	5.118	130
—	.0906	2.3	—	.5512	14	1 1/4	1.250	31.75	5 1/2	5.500	139.7
3/32	.0938	2.381	9/16	.5625	14.288	—	1.260	32	—	5.512	140
—	.0984	2.5	—	.571	14.5	—	1.299	33	—	5.906	150
—	.1	2.540	37/64	.5781	14.684	1 5/16	1.312	33.34	6	6.000	152.4
—	.1024	2.6	—	.5906	15	—	1.339	34	—	6.299	160
7/64	.1093	2.776	19/32	.5938	15.081	1 3/8	1.375	34.93	6 1/2	6.500	165.1
—	.1181	3	—	.6	15.240	—	1.378	35	7	7.000	177.8
1/8	.125	3.175	39/64	.6094	15.478	—	1.417	36	—	7.087	180
—	.1378	3.5	—	.6103	15.5	1 7/16	1.438	36.51	7 1/2	7.500	190.5
9/64	.1406	3.572	5/8	.6250	15.875	—	1.457	37	—	7.874	200
5/32	.1563	3.969	—	.6299	16	—	1.496	38	8	8.000	203.2
—	.1575	4	41/64	.6406	16.272	1 1/2	1.500	38.10	8 1/2	8.500	215.9
11/64	.1719	4.366	—	.6496	16.5	—	1.535	39	—	8.661	220
—	.1772	4.5	21/32	.6563	16.669	1 9/16	1.562	39.69	9	9.000	228.6
3/16	.1875	4.763	—	.6693	17	—	1.575	40	—	9.449	240
—	.1969	5	43/64	.6719	17.066	—	1.614	41	9 1/2	9.500	241.3
—	.2	5.080	11/16	.6875	17.463	1 5/8	1.625	41.28	—	9.843	250
13/64	.2031	5.159	—	.6890	17.5	—	1.654	42	10	10.000	254
—	.2165	5.5	—	.7	17.780	1 11/16	1.688	42.86	—	10.236	260
7/32	.2188	5.556	45/64	.7031	17.859	—	1.693	43	11	11.000	279.4
15/64	.2344	5.953	—	.7087	18	—	1.732	44	—	11.024	280
—	.2362	6	23/32	.7188	18.256	1 3/4	1.750	44.45	—	11.811	300
1/4	.25	6.350	—	.7283	18.5	—	1.772	45	12	12.000	304.8
—	.2559	6.5	47/64	.7344	18.653	—	1.811	46	13	13.000	330.2
17/64	.2656	6.747	—	.7480	19	1 13/16	1.813	46.04	—	13.780	350
—	.2756	7	3/4	.75	19.050	—	1.850	47	14	14.000	355.6
9/32	.2813	7.144	49/64	.7656	19.447	1 7/8	1.875	47.63	15	15.000	381
—	.2953	7.5	—	.7677	19.5	—	1.890	48	—	15.748	400
19/64	.2969	7.541	25/32	.7813	19.844	—	1.929	49	16	16.000	406.4

MODELS 939A AUGER BASES
MAIN FRAME GROUP



MODELS 939A AUGER BASES
MAIN FRAME GROUP

Ref. No.	Part No.	No. Used			Description
		A3	A4	A6	
1	857800	1			Main Frame W.A. --- Replaces 787120
	787122 4		1		Main Frame W.A.
	787121.2			1	Main Frame W.A.
2	283326	2	2	2	Arm W.A.
					4 87975 Cap Screw, Hex Head, 1/2" x 2 1/4", Gr. 5
					4 80679 Lockwasher, 1/2"
					2 280431 Nut, 1/2", Gr. 5
3	602488	2	2	2	Jack Stand Assembly, Includes Ref. 4, 5 & 6
4	717017	2	2	2	Pad W.A.
5	715888	2	2	2	Jack Screw W.A.
					2 280315 Groove Pin, Type A, 3/16" x 1"
6	715886	2	2	2	Channel W.A.
7	28267	2	2	2	Pin
8	37851	2	2	2	Hairpin Cotter
9	857799	1			Angle, R.H., 24 3/8" (645mm) Long --- Replaces 611145
	609375		1		Angle, R.H., 41 5/8" (1058mm) Long
	609170			1	Angle, R.H., 64 5/8" (1642mm) Long
					1 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5
					3 280428 Carriage Bolt, 5/16" x 1", Gr. 5
					1 80664 Washer, 5/16"
					1 80681 Lockwasher, 5/16"
					3 145458 Locknut, USR, 5/16"
10	(a)611153	1*	1		Shield, L.H. - 892
	(b)854920	1			Shield, L.H. - 900
	791009	1**	1	1	Shield, L.H.
					AR 280327 Carriage Bolt, 5/16" x 3/4", Gr. 5
					AR 271288 Lockscrew, USR, 5/16" x 5/8"
					6 145458 Locknut, USR, 5/16"
11	701338	2	2	2	Angle, 15" (381mm) Long, Except for 892
	289356	1			Angle, 21 3/4" (552mm) Long, Only on 892
					2 280428 Carriage Bolt, 5/16" x 1", Gr. 5
					1 280507 Carriage Bolt, 5/16" x 1 1/4", Gr. 5
					3 145458 Locknut, USR, 5/16"
					5 34187 Spacer
12	(a)611152	1			Shield, R.H. - 892
	(b)854921	1			Shield, R.H. - 900
	791008	1	1	1	Shield, R.H.
					AR 280327 Carriage Bolt, 5/16" x 3/4", Gr. 5
					AR 280428 Carriage Bolt, 5/16" x 1", Gr. 5
					6 145458 Locknut, USR, 5/16"
13	695940	1	1	1	Shield W.A., R.H.
					4 145913 Lockscrew, USR, 5/16" x 3/4"
14	695941			1	Shield W.A., L.H.
					4 145913 Lockscrew, USR, 5/16" x 3/4"
15	630118	1	1	2	Latch
					2 523292 Lockscrew, USR, 1/4" x 3/4"
					2 280129 Locknut, 1/4", Gr. C
16	713427	1	1	1	Floor, L.H., Except on 892
					1 145913 Lockscrew, USR, 5/16" x 3/4"
					3 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
					4 145458 Lockscrew, USR, 5/16"
17	**695933	1	1	1	Shield, R.H.
18	**695934			1	Shield, L.H.
19	783922	1	1	2	Belt
					AR 145913 Lockscrew, USR, 5/16" x 3/4"
					AR 145458 Locknut, USR, 5/16"

AR - As Required

* 892 Only


** 1900 Only

(a) Used on and below Serial No. 512665

(b) Used on and above Serial No. 512666

CONTINUE


MODELS 939A AUGER BASES
MAIN FRAME GROUP (CONTINUED)



MODELS 939A AUGER BASES
MAIN FRAME GROUP (CONTINUED)

Ref. No.	Part No.	No. Used			Description
		A3	A4	A6	
20	608776		1	1	Floor, L.H. 2 87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5 3 280327 Carriage Bolt, 5/16" x 3/4", Gr. 5 2 80664 Washer, 5/16" 2 80681 Lockwasher, 5/16" 3 145458 Locknut, USR, 5/16"
21	713428	1	1	1	Floor, R.H., Except on 892 2 280616 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 1/2", Gr. 5 3 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 5 145458 Locknut, USR, 5/16"
22	696474		1	1	Floor, R.H. W.A. --- Replaces 608775 3 87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5 3 280327 Carriage Bolt, 5/16" x 3/4", Gr. 5 3 80664 Washer, 5/16" 3 80681 Lockwasher, 5/16" 3 145458 Locknut, USR, 5/16"
23	857799 609171 609170	1 1	 1 1		Angle, L.H., 24 3/8" (645mm) Long --- Replaces 611145 Angle, L.H., 41 5/8" (1058mm) Long Angle, L.H., 64 5/8" (1642mm) Long 1 88543 Cap Screw, Hex Head, 5/6" x 1", Gr. 5 3 280428 Carriage Bolt, 5/16" x 1", Gr. 5 1 80664 Washer, 5/16" 1 80681 Lockwasher, 5/16" 3 145458 Lockscrew, USR, 5/16"
24	788909	1	1		Shield W.A. 1 87398 Cotter Pin, 3/16" x 1 1/4" 1 280689 Wing Screw, 5/16" x 1" 1 145458 Locknut, USR, 5/16"
26	857803	1			Floor, For 892 Only --- Replaces 611151 2 87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5 6 280428 Carriage Bolt, 5/16" x 1", Gr. 5 2 80664 Washer, 5/16" 2 80681 Lockwasher, 5/16" 6 145458 Locknut, USR, 5/16"
27	611155	1			Floor, For 892 Only 2 87872 Cap Screw, Hex Hed, 5/16" x 3/4", Gr. 5 8 280428 Carriage Bolt, 5/16" x 1", Gr. 5 2 80681 Lockwasher, 5/16" 8 145458 Locknut, USR, 5/16"
28	774868 774867 857804 610914	1 1 1 1			Lift Arm W.A., R.H., For 1900 Lift Arm W.A., L.H., For 1900 Lift Arm W.A., R.H., For 892 --- Replaces 610913 Lift Arm W.A., L.H., For 892 6 87670 Cap Screw, Hex Head, 1/2" x 1 1/4", Gr. 5 12 80700 Washer, 1/2" 12 80679 Lockwasher, 1/2"
29	708694	2			Lift Cam W.A., For 892 Only 2 88043 Cap Screw, Hex Head, 1/2" x 3 1/4", Gr. 5 2 88273 Cap Screw, Hex Head, 1/2" x 3 1/2", Gr. 5 4 80700 Washer, 1/2" 4 80679 Lockwasher, 1/2" 2 280431 Nut, 1/2", Gr. 5
30	636514 635264	2 2		2	Angle, 36 13/32" (925mm) Long Angle, 59 3/8" (1508mm) Long 10 280327 Carriage Bolt, 5/16" x 3/4", Gr. 5 10 145458 Locknut, USR, 5/16"
31	105291	1	1	2	Bracket
32	142967	1	1	2	Strip
33	783921	1	1	2	Strip
34	619939	1	1	2	Hinge, 56 3/4", Cut to Length Required
35	788907	1	1	1	Shield 2 523292 Lockscrew, USR, 1/4" x 1/2" 2 523282 Locknut, USR, 1/4"
36	774768	2	2	2	Rod 4 40974 Retaining Ring

MODELS 939A AUGER BASES
AUGER GROUP



MODELS 939A AUGER BASES
AUGER GROUP


Ref. No.	Part No.	No. Used			Description
		A3	A4	A6	
1	268036	2	2	2	Bushing
2	52449	1	1	1	Spacer, 44" (11.2mm) Long
3	636429	1	1	1	Bearing Housing
					2 87975 Cap Screw, Hex Head, 1/2" x 2 1/4", Gr. 5
					2 80700 Washer, 1/2"
					2 80679 Lockwasher, 1/2"
					2 280431 Nut, 1/2", Gr. 5
4	52444	1	1	1	Locking Collar
					1 80425 Set Screw, Hex Socket, 3/8" x 3/8", Cup Point
5	52443	1	1	1	Ball Bearing, 1 1/2" (38.1mm) ID
6	774769	1	1	1	Arm W.A., R.H. --- Replaces 600919
7	280615	1	1	1	Tap Bolt, Hex Head, 1/2" x 2 1/2", Gr. 5
					1 280431 Nut, 1/2", Gr. 5
8	268027	2	2	2	Pad
					2 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5
					2 87016 Washer, 3/8"
					2 88902 Locknut, 3/8", Gr. C
9	132758	1	1	1	Shock Absorber
					1 88556 Cap Screw, Hex Head, 5/8" x 2 1/4", Gr. 5
					3 87365 Washer, 5/8", SAE
					1 84910 Locknut, 5/8"
					2 609070 Jam Locknut, 5/8"
10	132759	4	4	4	Rubber Mount
11	602914	(a)1 (a)1 (a)1	(b)2 (b)2 (b)2	(b)2	Spring USE
12	25667	(a)1 (a)1 (a)1	(b)2 (b)2 (b)2	(b)2	Eye Bolt
					(a)2(b)4 84944 Nut, 3/8"
13	857814	1			Auger W.A., 82" (2083mm) Long --- Replaces 608404
	857818		1		Auger W.A., 116" (2946mm) Long, For Model 2100 --- Replaces 608403 and 795324
	857816		1		Auger W.A., 116" (2946mm) Long, For Model 1900 --- Replaces 636827 and 689597
	857820			1	Auger W.A., 162" (4115mm) Long --- Replaces 608402 & 795323
					1 88182 Cotter Pin, 1/4" x 2"
14	182937	6	6	6	Flangette
					9 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5
					9 80680 Lockwasher, 3/8"
15	135241	3	3	3	Ball Bearing, Hex Bore
16	32364	2	2	2	Spacer, 1/4" (6.3mm) Thick
17	136538	1	1	1	Shaft W.A.
18	701488		1	1	Shaft W.A., 31 3/16" (792mm) Long, A4 on 2100 Only
	288791	1	1		Shaft W.A., 23 1/4" (597mm) Long, A4 on 1900 Only
					1 88546 Cap Screw, Hex Head, 3/8" x 2 1/4", Gr. 5
					1 88902 Locknut, 3/8", Gr. C
19	26130	3	3	3	Washer, Special, 1 3/8" (35mm) OD x .060" (1.5mm) Thick
20	288793	20 *28	28	28	Finger Holder w/Bushing, Ref. No. 21
					28 88971 Set Screw, Square Head, 5/16" x 1", Cup Point
					28 84968 Jam Nut, 5/16"
21	288797	20 *28	28	28	Bushing
22	701041	20 *28	28	28	Finger
23	288799	20 *28	28	28	Finger Guide
					(a)56 87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5
					(a)56 280736 Locknut, 5/16", Gr. C
					(b)56 857778 Cap Screw, Special

AR - As Required

* 20 used on 939A4-1900, 28 used on 939A4-2100.
(a) Used on and below Serial No. 512665 (A3); 525736 (A4); 512700 (A6)
(b) Used on and above Serial No. 512666 (A3); 525737 (A4); 512701 (A6)

CONTINUE

MODELS 939A AUGER BASES
AUGER GROUP (CONTINUED)



MODELS 939A AUGER BASES
AUGER GROUP (CONTINUED)


Ref. No.	Part No.	No. Used			Description
		A3	A4	A6	
24	608397		1	1	Cover, 28 1/8" (714mm) Long, A4 on 2100
	796224		1		Cover, 17 7/8" (454mm) Long, A4 on 1900 --- Replaces 575081
	610730	1			Cover, 19 7/8" (505mm) Long AR 271288 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5 AR 80681 Lockwasher, 5/16" AR 88592 Retainer Nut, 5/16"
25	26129	9	9	9	Washer, Special, 1 9/16" (40mm) OD x .036" (.9mm) Thick
26	288802	1	1	1	Block 1 87405 Cap Screw, Hex Head, 1/4" x 2 1/2", Gr. 5 2 88546 Cap Screw, Hex Head, 3/8" x 2 1/4", Gr. 5 1 280129 Locknut, 1/4", Gr. C 2 88902 Locknut, 3/8", Gr. C
27	289363	1			Shaft W.A., 34 1/2" (876mm) Long
	701486		1		Shaft W.A., 47 1/2" (1206mm) Long, A4 on 2100
	713100		1		Shaft W.A., 51 1/2" (1308mm) Long, A4 on 1900
	608754			1	Shaft W.A., 70 1/2" (1791mm) Long 2 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 2 80680 Lockwasher, 3/8" 2 84944 Nut, 3/8"
28	67629	(a)1	(a)1	(a)1	Spring
		(b)2	(b)2	(b)2	
29	138539	(a)1	(a)1	(a)1	Eyebolt
		(b)2	(b)2	(b)2	
				(a)2	(b)4 84944 Nut, 3/8"
30	854841	1	1	1	Arm W.A., L.H. --- Replaces 609169
31	25494	AR	AR	AR	Washer, Special 1 88182 Cotter Pin, 1/4" x 2"
32	636425	1	1	1	Shaft W.A., 1 1/2" (38.1mm) OD 6 87689 Cap Screw, Hex Head, 1/2" x 1 1/2", Gr. 5 6 80679 Lockwasher, 1/2"
33	636430	1	1	1	Sprocket W.A., 1 1/2" (38.1mm) ID 1 88182 Cotter Pin, 1/4" x 2"
34	101406	AR	AR	AR	Washer, 1.6" (40.6mm) ID x .060" (1.5mm) Thick
35	857279	4	4	4	Auger Sweep 18 271288 Lockcrew, Hex Washer Head, 5/16" x 5/8" 6 84943 Nut, 5/16"
36	165076		2	2	Spacer, 3/16" (4.7mm) Thick
37	765532	2	2	2	Strip, R.H. 16 87101 Machine Screw, Truss Head, 3/8" x 3/4" 16 247780 Locknut, USR, 3/8"
38	765533	2	2	2	Strip, L.H. 16 87101 Machine Screw, Truss Head, 3/8" x 3/4" 16 247780 Locknut, USR, 3/8"

AR - As Required

(a) Used on and below Serial No. 512665 (A3); 525736 (A4); 512700 (A6)


(b) Used on and above Serial No. 512666 (A3); 525737 (A4); 512701 (A6)

MODEL 939A AUGER BASE
AUGER DRIVE GROUP




Ref. No.	Part No.	No. Used	Description
1	261150	1	Drilled Cap Screw 1 87414 Grease Fitting, 1/4"-28, Straight 1 80679 Lockwasher, 1/2"
2	121512	1	Washer, Special
3	634385	1	Slip Clutch Assembly, Less Bushing --- Includes Ref. Nos. 4 thru 13
4	617815	1	Nut, Special
5	600890	2	Spring Washer
6	600868	1	Sprocket W.A., 23 Tooth
7	643603	1	Sprocket and Bushing, 45 Tooth, Includes Ref. 7A, 7C
7A	81843	4	Dowel Pin, 3/8" x 1 1/4"
7C	122516	1	Bushing, 4" (101.6mm) ID
8	643600	1	Spacer Ring, 4" (101.6mm) OD
9	127434	4	Friction Disc
10	600867	1	Hub W.A.
11	616025	1	Special Washer, .135" (3.4mm) Thick
12	576253	1	Drive Plate
13	600891	1	Clutch Plate
14	164995	1	Washer, Special
15	268035	1	Washer, Special
16	621866	1	Roller Chain Assembly, RC 60, 63 Pitches AR 25808 Roller Link AR 25812 Coupler Link AR 25817 Offset Link
17	787106	1	Shaft
18	574245	1	Washer 1 88494 Cap Screw, Hex Head, 5/16" x 1 3/4", Gr. 5
19	66486		Bearing and Spacer Assembly
20	268036	1	Bushing

MODEL 939 AUGER BASE
RAISED FLOOR BUNDLE



Ref. No.	Part No.	No. Used	Description
1	773925	1	Floor, L.H.
2	773926	1	Floor W.A., R.H.
3	784842	1	Plate, W.A.
4	786333	1	Cover
5	140775	3	Offset Link, RC80

MODEL 939A3 AUGER BASE
MAIN DRIVE GROUP




MODEL 939A3 AUGER BASE
MAIN DRIVE GROUP

Ref. No.	Part No.	No. Used	Description
1	611144	1	Shaft, 79.9" (2029.5mm) Long, Model 1900 Only
	676638	1	Shaft, 68.7" (1745mm) Long, Model 892 Only --- Repl. 268248
2	714616	1	Sprocket W.A., 25 Tooth, Model 1900 Only
	267953	1	Sprocket W.A., 22 Tooth, Model 892 Only
			1 84241 Woodruff Key, #D, 5/16" x 1 1/4"
			1 88971 Set Screw, Square Head, Cup Point, 5/16" x 1"
			1 84968 Jam Nut, 5/16"
3	774901	1	Arm W.A., Model 1900 Only
	268239	1	Arm W.A., Model 892 Only
			1 88182 Cotter Pin, 1/4" x 2"
			1 280617 Carriage Bolt, 5/8" x 1 1/2", Gr. 5
			1 87365 Washer, 5/8"
			1 84057 Lockwasher, 5/8"
			1 84947 Nut, 5/8"
4	136527	2	Bearing Housing
			4 88552 Cap Screw, Hex Head, 1/2" x 2", Gr. 5
			4 80679 Lockwasher, 1/2"
			4 280431 Nut, 1/2", Gr. 5
			2 256713 Spacer
5	76836	2	Ball Bearing
6	38767	2	Locking Collar
			2 80429 Set Screw, Socket Head, Cup Point, 5/16" x 5/16"
7	713588	2	Support W.A.
			1 87670 Cap Screw, Hex Head, 1/2" x 1 1/4", Gr. 5
			1 80679 Lockwasher, 1/2"
8	280615	1	Tap Bolt, Hex Head, 1/2" x 2 1/2", Gr. 5
			1 280431 Nut, 1/2", Gr. 5
9	289358	1	Eye Bolt
			2 280431 Nut, 1/2", Gr. 5
10	606271	1	Spacer, 1" (25.4mm) OD x 1 1/32" (26.2mm) Long
			1 88727 Bolt, Rd. Hd., Sh. Sq. Neck 1/2" x 2 1/2", Gr. 5
			1 80700 Washer, 1/2"
			1 80679 Lockwasher, 1/2"
			1 280431 Nut, 1/2", Gr. 5
11	146258	AR	Washer, .060" (1.5mm) Thick
12	701414	1	Sprocket W.A., 14 Tooth
	267887	1	Sprocket W.A., 16 Tooth
	267888	1	Sprocket W.A., 18 Tooth
	267889	1	Sprocket W.A., 20 Tooth
	267890	1	Sprocket W.A., 22 Tooth
	267891	1	Sprocket W.A., 26 Tooth
	770032	1	Sprocket W.A., 28 Tooth
	267892	1	Sprocket W.A., 31 Tooth
			*2 66959 Tap Bolt, Hex Head, 3/8" x 3 1/4"
			*2 36803 Special Washer, 3" (50mm) OD
			*4 87016 Washer, 3/8"
			*2 80680 Lockwasher, 3/8"
			*4 84944 Nut, 3/8"
13	228872	1	Chain Assembly, RC 60, 88 Pitches
			AR 25808 Roller Link
			AR 165590 Coupler Link, Spring Clip Type
			AR 25817 Offset Link
14	608268	1	Shield, Cut to Length Required
15	87399	1	Cotter Pin, 3/16" x 1 3/4"
16	675027	1	Tube Support W.A.
17	675033	2	Shield W.A., 59 1/2" Long, Model 892
	675035	2	Shield W.A., 70 5/8" Long, Model 1900
			AR 87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5
			AR 145458 Locknut, USR, 5/16"

AR - As Required

*NOTE: This hardware is used to hold Sprockets not being used to Main Frame.

MODEL 939A4 AUGER BASE
MAIN DRIVE GROUP




MODEL 939A4 AUGER BASE
MAIN DRIVE GROUP

Ref. No.	Part No.	No. Used	Description
1	714648	1	Shaft, Main Drive
2	714616	1	Sprocket W.A., 25 Tooth
			1 84241 Woodruff Key, #D, 5/16" x 1 1/4"
			1 88971 Set Screw, Square Head, 5/16" x 1", Cup Point
			1 84968 Jam Nut, 5/16"
3	774901	1	Arm W.A.
			1 87041 Cotter Pin, 1/4" x 3/4"
			1 280617 Carriage Bolt, 5/8" x 1 1/2", Gr. 5
			1 87365 Washer, 5/8"
			1 84057 Lockwasher, 5/8"
			1 84947 Nut, 5/8"
4	136527	2	Bearing Housing
			4 88551 Cap Screw, Hex Head, 1/2" x 1 3/4", Gr. 5
			2 80700 Washer, 1/2"
			4 80679 Lockwasher, 1/2"
			4 280431 Nut, 1/2"
5	76836	2	Ball Bearing
6	38767	2	Locking Collar w/Set Screw
			2 80429 Set Screw, Hex Socket, 5/16" x 5/16", Cup Point
7	713588	1	Support W.A.
			1 87670 Cap Screw, Hex Head, 1/2" x 1 1/4", Gr. 5
			1 80679 Lockwasher, 1/2"
8	280615	1	Tap Bolt, Hex Head, 1/2" x 2 1/2", Gr. 5
			1 280431 Nut, 1/2", Gr. 5
9	289358	1	Eye Bolt
			2 280431 Nut, 1/2", Gr. 5
10	606271	1	Spacer, 1" (25.4mm) OD x 1 1/32" (26.2mm) Long
			1 88727 Bolt, Rd. Hd., Sh. Sq. Neck, 1/2" x 2 1/2" Gr. 5
			1 80700 Washer, 1/2"
			1 80679 Lockwasher, 1/2"
			1 280431 Nut, 1/2", Gr. 5
11	146258	AR	Washer, Special
12	701414	1	Sprocket W.A., 14 Tooth
	267887	1	Sprocket W.A., 16 Tooth
	267888	1	Sprocket W.A., 18 Tooth
	267889	1	Sprocket W.A., 20 Tooth
	267890	1	Sprocket W.A., 22 Tooth
	267891	1	Sprocket W.A., 26 Tooth
	770032	1	Sprocket W.A., 28 Tooth
	267892	1	Sprocket W.A., 31 Tooth
			2 *66959 Tap Bolt, Hex Head, 3/8" x 3 1/4"
			2 *36803 Washer, Special
			4 *87016 Washer, 3/8"
			2 *80680 Lockwasher, 3/8"
			4 *84944 Nut, 3/8"
13	228872	1	Roller Chain Assembly, RC 60, 88 Pitches
			87 25808 Roller Link
			1 165590 Coupler Link, Spring Clip Type
14	608268	1	Tube, Shaft Shield --- Replaces 714647
15	87399	1	Cotter Pin, 3/16" x 1 3/4"
16	675027	1	Tube Support W.A.
17	675037	2	Shield W.A., 87 5/8" Long

AR - As Required

*NOTE: This hardware is used to mount Sprockets not being used to the back of the Main Frame.

MODEL 939A6 AUGER BASE
MAIN DRIVE GROUP



Ref. No.	Part No.	No. Used	Description
1	608766	2	Shaft, Left and Right, 52" (1320mm) Long
2	608765	1	Shaft, Center, 70" (1778mm) Long
3	686243	3	Shield, Cut to Length Required
4	608838	1	Sprocket W.A., 25T
5	136527	4	Bearing Housing
		8	88551 Cap Screw, Hex Head, 1/2" x 1 3/4", Gr. 5
		8	80700 Washer, 1/2"
		8	80679 Lockwasher, 1/2"
		8	280431 Nut, 1/2", Gr. 5
6	76836	4	Bearing
7	38767	4	Locking Collar
		4	80429 Set Screw, Socket Head, Cup Point, 5/16" x 5/16"
8	713588	1	Support W.A., R.H.
9	608756	1	Support W.A., L.H.
		2	87670 Cap Screw, Hex Head, 1/2" x 1 1/4", Gr. 5
		2	80679 Lockwasher, 1/2"

CONTINUE

MODEL 939A6 AUGER BASE
MAIN DRIVE GROUP (CONTINUED)


Ref. No.	Part No.	No. Used	Description
10	280615	2	Tap Bolt, Hex Head, 1/2" x 2 1/2", Gr. 5
			2 280431 Hex Nut, 1/2", Gr. 5
11	289358	2	Eyebolt
			4 280431 Hex Nut, 1/2", Gr. 5
12	606271	2	Spacer, 1" (25.4mm) OD x 1 1/32" (26.2mm) Long
			2 88727 Bolt, Rd. Hd., Sh. Sq. Neck 1/2" x 2 1/2", Gr. 5
			2 80700 Washer, 1/2"
			2 80679 Lockwasher, 1/2"
			2 280431 Nut, 1/2", Gr. 5
13	774901	1	Arm Weld Assembly
			1 87041 Cotter Pin, 1/4" x 1 3/4"
			1 280617 Carriage Bolt, 5/8" x 1 1/2", Gr. 5
			1 87365 Washer, 5/8"
			1 84057 Lockwasher, 5/8"
			1 84947 Nut, 5/8"
14	701414	1	Sprocket W.A., 14 Tooth
	267887	1	Sprocket W.A., 16 Tooth
	267888	1	Sprocket W.A., 18 Tooth
	267889	2	Sprocket W.A., 20 Tooth
	267890	2	Sprocket W.A., 22 Tooth
	267891	2	Sprocket W.A., 26 Tooth
	770032	2	Sprocket W.A., 28 Tooth
	267892	1	Sprocket W.A., 31 Tooth
			2 87399 Cotter Pin, 3/16" x 1 3/4"
			*3 66959 Tap Bolt, Hex Head, 3/8" x 3 1/4"
			*3 36803 Special Washer, 2" (50mm) OD
			*6 87016 Washer, 3/8"
			*3 80680 Lockwasher, 3/8"
			*6 84944 Nut, 3/8"
15	146258	AR	Special Washer, .060" (1.5mm) Thick
16	228872	1	Chain Assembly, RC60, 88 Pitches
			AR 25808 Roller Link
			AR 165590 Coupler Link, Spring Clip Type
			AR 25817 Offset Link
17	608767	4	Coupling Sprocket
18	66865	2	Coupling Chain, RC60, Figure 8 Side Bars, 16 Pitches
			1 25812 Coupler Link, Cotter Pin Type
19	608778	2	Spacer, 1 3/8" (35mm) OD, 1/4" (6.3mm) Thick
20	132159	4	Cover
			4 87414 Lube Fitting, 1/4"-28
21	132144	4	Seal, Felt
22	139939	1	Spacer, 1" (25.4mm) Long
23	788942	1	Shield
24	643642	1	Bracket
25	675716	4	Shield W.A., 44 1/2" (1130mm) Long
			24 87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5
			24 80681 Lockwasher, 5/16"
			24 84943 Nut, 3/4"
26	675706	1	Cover W.A.
			2 88542 Cap Screw, Hex Head, 1/4" x 1/2", Gr. 5
			1 87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5
			2 87361 Washer, 1/4"
			1 80664 Washer, 5/16"
			2 80682 Lockwasher, 1/4"
			1 80681 Lockwasher, 5/16"
27	675704	1	Shield
			4 80664 Washer, 5/16"
			4 80681 Lockwasher, 5/16"
			4 84943 Nut, 5/16"

NOTE: This Hardware is used to mount Sprockets not being used to the back of the Main Frame.

AR - As Required

CONTINUE


MODEL 939A6 AUGER BASE
MAIN DRIVE GROUP (CONTINUED)



MODEL 939A6 AUGER BASE
MAIN DRIVE GROUP (CONTINUED)

Ref. No.	Part No.	No. Used	Description
28	675027	1	Tube W.A.
29	675714	1	Shield W.A., Bottom - 54" (1372mm) Long
30	675712	1	Shield W.A., Top - 54" (1372mm) Long
		8	87872 Cap Screw, Hex Head, 5/16" x 3/4"
		8	80681 Lockwasher, 5/16"
		8	84943 Nut, 5/16"
31	675705	1	Bearing, Polyethylene

MODELS 939N3 AND 939R3 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP (CONTINUED)




MODELS 939N3 AND 939R3 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP

Ref. No.	Part No.	No. Used		Description
		N3	R3	
1	287364	1	1	Point W.A., R.H. 4 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 4 80702 Washer, 3/8" 4 80680 Lockwasher, 3/8" 4 84944 Nut, 3/8"
2	700633 700511	2	2	Point W.A., Center Point W.A., Center 16 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 16 80680 Lockwasher, 3/8" 16 84944 Nut, 3/8" 4 58225 Washer, Special
3	287363	1	1	Point W.A., L.H. 4 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 4 80702 Washer, 3/8" 4 80680 Lockwasher, 3/8" 4 84944 Nut, 3/8"
4	716358	1	1	End Sheet W.A., R.H. --- Replaces 287355 1 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 4 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8" 5 80664 Washer, 5/16" 5 80681 Lockwasher, 5/16" 5 84943 Nut, 5/16"
5	287385	2	2	Strip W.A. 2 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 2 88992 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 1", Gr. 5 4 80664 Washer, 5/16" 4 80681 Lockwasher, 5/16" 4 84943 Hex Nut, 5/16"
6	605024	2	2	Clamp 2 523292 Lockscrew, USR, 1/4" x 3/4" 2 523282 Locknut, USR, 1/4"
7	707514	2	2	Shield
8	287021 287020	2	2	Cover W.A., R.H. Cover W.A., R.H. 2 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 4 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 2 80664 Washer, 5/16" 2 80681 Lockwasher, 5/16" 2 84943 Nut, 5/16" 4 145458 Locknut, 5/16"
9	287022 287019	2	2	Cover W.A., L.H. Cover W.A., L.H. 2 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 2 80664 Washer, 5/16" 2 80681 Lockwasher, 5/16" 2 84943 Nut, 5/16"
10	287027 287028	2	2	Angle Angle 6 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 6 145458 Locknut, USR, 5/16"
11	716248.5	1	1	End Sheet W.A., L.H. --- Replaces 287356 1 88543 Cap Screw, Hex Head, 5/16" x 3/4" 4 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8", Gr. 5 5 80664 Washer, 5/16" 5 80681 Lockwasher, 5/16" 5 84943 Nut, 5/16"
12	574290	1	1	Bumper W.A. 4 88546 Cap Screw, Hex Head, 3/8" x 2 1/4", Gr. 5 4 80680 Lockwasher, 3/8" 4 84944 Nut, 3/8"

CONTINUE

MODELS 939N3 AND 939R3 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP



MODELS 939N3 AND 939R3 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP (CONTINUED)

Ref. No.	Part No.	No. Used N3	R3	Description
13	849706	2	2	Tube W.A.
14	714866	4	4	Clamp --- Replaces 701127 4 88444 Cap Screw, Hex Head, 3/8" x 2 3/4", Gr. 5 4 80680 Lockwasher, 3/8" 4 84944 Nut, 3/8"
15	609676	1	1	Cover 4 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 4 80681 Lockwasher, 5/16" 4 80664 Washer, 5/16"
16	287634	1	1	Shield (919 Only) 2 80664 Washer, 5/16" 2 80681 Lockwasher, 5/16" 2 145458 Hex Flanged Locknut, 5/16"
17	287643 287384	1 1		Shield, R.H., 8 1/2" Long Shield, R.H., 6 1/2" Long 3 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 3 145458 Locknut, USR, 5/16"
18	287633	3	3	Shield, 12 1/4" Long
19	287383	3	2	Shield, 9 1/4" Long 2 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 8 145458 Locknut, USR, 5/16"
20	287380 287368	2 2		Shield, 9 1/4" Long Shield, 17 1/4" Long 2 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 2 145458 Locknut, USR, 5/16"
21	(a)287018 (b)287017	2 2		Cover, 11 7/8" Wide Cover, 19 7/8" Wide 12 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5 12 80702 Washer, 3/8" 12 80680 Lockwasher, 3/8" 12 84944 Nut, 3/8"
22	287467	1	1	Shield, L.H.
23	615310	2	2	Cap
24	287359	1	1	Gusset, R.H. 4 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8", Gr. 5 4 145458 Locknut, USR, 5/16"
25	604112	1	1	Shield, R.H. 5 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8", Gr. 5 5 145458 Locknut, USR, 5/16"
26	604111	1	1	Shield, L.H. 5 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8", Gr. 5 5 145458 Locknut, USR, 5/16"
27	287360	1	1	Gusset, L.H. 4 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8", Gr. 5 4 145458 Locknut, USR, 5/16"
28	*694322	2	2	Point Extension, Center 3 135632 Lockscrew, USR, 5/16" x 1/2"
29	*695058	2	2	Point Extension, Outer 3 135632 Lockscrew, USR, 5/16" x 1/2"
30	(b)791834	1	1	Crop Guide W.A., R.H. 7 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5 7 247780 Locknut, USR, 3/8"


*Part of 209482 Divider Point Bundle

(a) Used on and below Serial No. 512665 (A3); 525736 (A4); 512700 (A6)

(b) Used on and above Serial No. 512666 (A3); 525737 (A4); 512701 (A6)

CONTINUED

MODELS 939N3 AND 939R3 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP (CONTINUED)




MODELS 939N3 AND 939R3 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP (CONTINUED)

Ref. No.	Part No.	No. Used N3	R3	Description
31	(b)796057		1	Crop Guide W.A., R.H., Wide
	(b)791471	1		Crop Guide W.A., R.H., Narrow
				2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
				2 247780 Locknut, USR, 3/8"
32	(b)791833	1	1	Crop Guide W.A., L.H.
				2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
				2 247780 Locknut, USR, 3/8"
33	(b)796059		1	Crop Guide W.A., L.H., Wide
	(b)791472	1		Crop Guide W.A., L.H., Narrow
				2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
				2 247780 Locknut, USR, 3/8"

(b) Used on and above Serial No. 512666 (A3); 525737 (A4); 512701 (A6)

MODELS 939N4, 939R4 AND 939N6 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP




MODELS 939N4, 939R4, 939N5 AND 939N6 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP

Ref. No.	Part No.	No. Used			Description
		N4	N5	N6	
		R4			
1	287364	1	1	1	Point W.A., Right Hand 4 88206 Cap Screw, Hex Head, Gr. 5, 3/8" x 1" 4 80702 Washer, 3/8" 4 80680 Lockwasher, 3/8" 4 84944 Nut, 3/8"
2	700633 700511	3	4	5	Point W.A., Center, 16 13/16" (427mm) Wide Point W.A., Center, 24 5/8" (625mm) Wide *4 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 2 58225 Washer, Special 4 80680 Lockwasher, 3/8" 84944 Nut, 3/8"
3	287363	1	1	1	Point W.A., Left Hand 4 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 4 80702 Washer, 3/8" 4 80680 Lockwasher, 3/8" 4 84944 Nut, 3/8"
4	716358	1	1	1	End Sheet W.A., Right Hand 1 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 4 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8", Gr. 5 5 80664 Washer, 5/16" 5 80681 Lockwasher, 5/16" 5 84943 Nut, 5/16"
5	287385	2	2	2	Strip W.A. 2 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 2 88992 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 1", Gr. 5 4 80664 Washer, 5/16" 4 80681 Lockwasher, 5/16" 4 84943 Nut, 5/16"
6	605024	4	4	6	Clamp 1 523292 Lockscrew, USR, 1/4" x 3/4" 1 523282 Locknut, USR, 1/4"
7	707514	2		2	Shield
8	287021 287020	3	4	5	Cover W.A., Right Hand, 14 1/2" (368mm) Wide Cover W.A., Right Hand, 18 1/4" (463mm) Wide *1 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 *2 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 3 80664 Washer, 5/16" 3 80681 Lockwasher, 5/16" 1 84943 Nut, 5/16" 2 145458 Locknut, USR, 5/16"
9	287022 287019	3	4	5	Cover W.A., Left Hand, 14" (356mm) Wide Cover W.A., Left Hand, 18" (457mm) Wide *3 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 3 80664 Washer, 5/16" 3 80681 Lockwasher, 5/16" 3 84943 Nut, 5/16"
10	287027 287028	3	4	5	Angle, 12 7/8" (327mm) Wide Angle, 20 7/8" (530mm) Wide *3 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 3 145458 Locknut, 5/16"
11	716248	1	1	1	End Sheet W.A., Left Hand 1 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 4 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8", Gr. 5 5 80664 Washer, 5/16" 5 80681 Lockwasher, 5/16" 1 84943 Nut, 5/16" 4 145458 Locknut, USR, 5/16"

*Quantities listed are for each piece of the Ref. No.

CONTINUE

MODELS 939N4, 939R4 AND 939N6 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP (CONTINUED)




MODELS 939N4, 939R4, 939N5 AND 939N6 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP (CONTINUED)

Ref. No.	Part No.	No. Used			Description
		N4	N5	N6	
		R4			
12	701364	1	1		Bumper W.A., 119 1/2" (3035mm) Long
	609670			1	Bumper W.A., 165 1/2" (4204mm) Long
					4 88546 Cap Screw, Hex Head, 3/8" x 2 1/4", Gr. 5
					4 80680 Lockwasher, 3/8"
					4 84944 Nut, 3/8"
13	849706	2	2	2	Tube W.A.--- Replaces 576579
14	714866	4	4	4	Clamp
					4 88444 Cap Screw, Hex Head, 3/8" x 2 3/4", Gr. 5
					4 80680 Lockwasher, 3/8"
					4 84944 Nut, 3/8"
15	609676	1	1	1	Cover, R.H.
16	609677			1	Cover, L.H.
					*4 87872 Cap Screw, Hex Head, 5/16" x 3/4"
					*4 80664 Washer, 5/16"
					*4 80681 Lockwasher, 5/16"
17	287384	1			Shield, Right Hand, 6 1/2" Length (165mm)
	609981			1	Shield, Right Hand, 8 7/16" Length (214mm)
	792381		1		Shield, Right Hand, 3.76" Length (95.5mm)
					1 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
					4 145458 Locknut, USR, 5/16"
18	287633	4	5	6	Shield, 12 1/4" (311mm) Length
19	287383		2		Shield, 9 1/4" (235mm) Length
					1 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
					2 145458 Locknut, USR, 5/16"
20	287380		4	4	Shield, 9 1/4" (235mm) Length
	287368	2			Shield, 17 1/4" (438mm) Length
					*1 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
					1 145458 Locknut, USR, 5/16"
22	287467	1	1		Shield, Left Hand, 6 1/2" (165mm) Wide
	609983			1	Shield, Left Hand, 10 7/16" (265mm) Wide
23	700769			1	Shield, 6 1/4" (159mm) Wide
	700768	3			Shield, 12 1/4" (311mm) Wide
					3 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
					3 145458 Locknut, USR, 5/16"
24	700767	1		1	Shield, Center
25	700770			1	Cover, Center, 8" (203mm) Wide
	700776	1			Cover, Center, 13 5/8" (346mm) Wide
					9 280503 Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					9 247780 Locknut, USR, 3/8"
26	700610	1		1	Strap W.A.
					1 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5
					1 80664 Washer, 5/16"
					1 80681 Lockwasher, 5/16"
27	602027		2	4	Shield, 14 1/4" (362mm) Length
28	287360	1			Gusset, R.H.
	602512		1	1	Gusset, R.H.
					4 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8"
					4 145458 Locknut, USR, 5/16"
29	604112	1			Shield, R.H.
	716356		1	1	Shield, R.H.
					5 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8"
					5 145458 Hex Flanged Nut, 5/16"
30	287359	1			Gusset, L.H.
	602511		1	1	Gusset, L.H.
					4 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8"
					4 145458 Hex Flanged Nut, 5/16"

Quantities listed are for each piece of the Ref. No.

CONTINUE

MODELS 939N4, 939R4 AND 939N6 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP (CONTINUED)




MODELS 939N4, 939R4, 939N5 AND 939N6 ROW CROPS
DIVIDER POINTS, SHIELDS AND STALK BUMPER GROUP (CONTINUED)

Ref. No.	Part No.	No. Used			Description
		N4	N5	N6	
		R4			
31	604111	1			Shield, L.H.
	602334		1	1	Shield, L.H.
					5 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8"
					5 145458 Hex Flanged Nut, 5/16"
32	615310	2	2	3	Cap
33	700575			1	Center Divider
34	701173			1	U-Bolt
					2 80680 Lockwasher, 3/8"
					2 84944 Nut, 3/8"
35	773126	1	1	2	Crop Guide W.A., R.H.
					7 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					7 80702 Washer, 3/8"
					7 80680 Lockwasher, 3/8"
					7 84944 Nut, 3/8"
36	773132		1	2	Crop Guide W.A., R.H., Narrow
	773136 -	(1)			Crop Guide W.A., R.H., Wide
					2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					2 80702 Washer, 3/8"
					2 80680 Lockwasher, 3/8"
					2 84944 Nut, 3/8"
37	773129	1	1	2	Crop Guide W.A., L.H.
					7 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					7 80702 Washer, 3/8"
					7 80680 Lockwasher, 3/8"
					7 84944 Nut, 3/8"
38	773134		1	2	Crop Guide W.A., L.H., Narrow
	773138 -	(1)			Crop Guide W.A., L.H., Wide
					2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					2 80702 Washer, 3/8"
					2 80680 Lockwasher, 3/8"
					2 84944 Nut, 3/8"
39	*694322	3		5	Point Extension, Center
					3 135632 Lockscrew, USR, 5/16" x 1/2"
40	*695058	2		2	Point Extension, Outer
					2 135632 Lockscrew, USR, 5/16" x 1/2"
41	851342	2	1	1	Angle
42	851345	1	1	1	Crop Guide Ext., R.H.
	851347	1			Crop Guide Ext., R.H. (939N4)
					3 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					3 247780 Locknut, USR, 3/8"
43	851344	1	1	1	Crop Guide Ext., L.H.
	851346	1			Crop Guide Ext., L.H. (939N4)
					3 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					3 247780 Locknut, USR, 3/8"

*Part of 209483 & 209484 Divider Point Bundles

MODELS 939N3 AND 939R3
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES



MODELS 939N3 AND 939R3
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES


Ref. No.	Part No.	No. Used	Description
1	783418	1	Channel W.A. --- Replaces 267846 & 638160
2	773204	1	Support W.A., R.H. with 84251 Lube Fitting, 30°, Long
			2 87909 Cap Screw, Hex Head, 1/2" x 1"
			3 88043 Cap Screw, Hex Head, 1/2" x 3 1/4"
			3 80700 Washer, 1/2"
			5 80679 Lockwasher, 1/2"
3	286696	1	Brace
			4 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
			4 80702 Washer, 3/8"
			4 80680 Lockwasher, 3/8"
			4 84944 Nut, 3/8"
4	286709	1	Rear Sheet, R.H.
			2 135270 Lockscrew, Hex Serrated Head, 5/16" x 3/4"
			2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
			2 145458 Locknut, USR, 5/16"
			2 247780 Locknut, USR, 3/8"
5	287641	1	Angle, R.H.
			4 135270 Lockscrew, USR, 5/16" x 3/4"
			4 145458 Locknut, USR, 5/16"
6	579789	1	Side Sheet, R.H.
			4 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
			3 88992 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 1", Gr. 5
			3 80664 Washer, 5/16"
			3 80681 Lockwasher, 5/16"
			3 84943 Nut, 5/16"
			4 145458 Locknut, USR, 5/16"
7	287374	2	Stripper
			3 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
			3 80664 Washer, 5/16"
			3 80681 Lockwasher, 5/16"
			3 84943 Nut, 5/16"
8	700100	6	Side Sheet
			AR 280647 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 5/8", Gr. 5
			AR 145458 Locknut, USR, 5/16"
9	287056	3	Chainboard W.A.
			15 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5
			15 80702 Washer, 3/8"
			15 80680 Lockwasher, 3/8"
			6 84944 Nut, 3/8"
10	286697	1	Brace, L.H.
			4 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
			4 80702 Washer, 3/8"
			4 80680 Lockwasher, 3/8"
			4 84944 Nut, 3/8"
11	(a)579704	1	Cover
			4 135270 Lockscrew, USR, 5/16" x 3/4"
			2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1"
			2 80664 Washer, 5/16"
			2 80681 Lockwasher, 5/16"
			2 247780 Locknut, USR, 3/8"
			4 145458 Locknut, USR, 5/16"
12	(a)579702	1	Angle, R.H.
			3 135270 Lockscrew, USR, 5/16" x 3/4"
			3 145458 Locknut, USR, 5/16"
13	(a)579705	1	Side Sheet, Inside, R.H.
			5 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4"
			5 145458 Locknut, USR, 5/16"

AR - As Required

(a) Used on and below Serial No. 510418 (N3); 512650 (R3)

CONTINUE

MODELS 939N3 AND 939R3
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES (CONTINUED)




MODELS 939N3 AND 939R3
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES (CONTINUED)

Ref. No.	Part No.	No. Used	Description
14	287057	3	Chainboard W.A. 15 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 15 80702 Washer, 3/8" 15 80680 Lockwasher, 3/8" 15 84944 Nut, 3/8"
15	605024	4	Clamp
	237911	4	Clamp 8 88992 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 1", Gr. 5 8 80681 Lockwasher, 5/16" 8 84943 Nut, 5/16"
16	773198	1	Center Support W.A. with 84251 Lube Fitting, 30°, Long (939) 2 87909 Cap Screw, Hex Head, 1/2" x 1", Gr. 5 4 88043 Cap Screw, Hex Head, 1/2" x 3 1/4", Gr. 5 2 80700 Washer, 1/2" 6 80679 Lockwasher, 1/2"
17	(a)286700	1	Rear Sheet, Center, R.H. 1 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 1 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5 2 145458 Locknut, USR, 5/16" 1 247780 Locknut, USR, 3/8"
18	(a)287013	1	Angle, Center, R.H. 2 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 1 135270 Lockscrew, USR, 5/16" x 3/4" 3 145458 Locknut, USR, 5/16"
19	700087	1	Side Sheet, Center, R.H. 5 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 5 145458 Locknut, USR, 5/16"
20	287373	2	Stripper
21	(a)286701	1	Rear Sheet, Center, L.H. 1 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 1 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5 2 145458 Locknut, USR, 5/16" 1 247780 Locknut, USR, 3/8"
22	(a)287012	1	Angle, Center, L.H. 2 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 2 135270 Lockscrew, USR, 5/16" 2 80664 Washer, 5/16" 2 80681 Lockwasher, 5/16" 2 145458 Locknut, USR, 5/16" 2 84943 Nut, 5/16"
23	700088	1	Side Sheet, Center, L.H. 5 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 5 145458 Locknut, USR, 5/16"
24	773192	1	Support W.A., L.H. with 84251 Lube Fitting, 30°, Long (939) 2 87909 Cap Screw, Hex Head, 1/2" x 1", Gr. 5 3 88043 Cap Screw, Hex Head, 1/2" x 3 1/4", Gr. 5 3 80700 Washer, 1/2" 5 80679 Lockwasher, 1/2"
25	(a)579703	1	Cover 1 135270 Lockscrew, USR, 5/16" x 3/4" 1 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5 1 145458 Locknut, USR, 5/16" 1 247780 Locknut, USR, 3/8"
26	(a)579701	1	Angle 2 135270 Lockscrew, USR, 5/16" x 3/4" 2 145458 Locknut, USR, 5/16"
27	579706	1	Side Sheet, Inside, L.H. 4 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 4 145458 Locknut, USR, 5/16"

(a) Used on and below Serial No. 510418 (N3); 512650 (R3)

CONTINUE

MODELS 939N3 AND 939R3
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES (CONTINUED)




MODELS 939N3 AND 939R3
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES (CONTINUED)

Ref. No.	Part No.	No. Used	Description
28	286710	1	Rear Sheet, L.H. 2 135270 Lockscrew, USR, 5/16" x 3/4" 2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5 2 145458 Locknut, USR, 5/16" 2 247780 Locknut USR, 3/8"
29	287642	2	Angle, L.H. 4 135270 Lockscrew, Hex Serrated Head, 5/16" x 3/4" 4 145458 Locknut, USR, 5/16"
30	579790	1	Side Sheet, L.H. 5 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 5 145458 Locknut, USR, 5/16"
33	59735	12	Fitting, Compression
34	11787	9	Compression Fitting
35	91932	7	Coupling, 1/8"
36	606943	6	Lube Fitting
37	700611	1	Bracket, R.H. 2 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 2 80680 Lockwasher, 3/8" 2 84944 Nut, 3/8"
38	701260	1	Bracket W.A., L.H. 6 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 2 80680 Lockwasher, 3/8" 2 84944 Nut, 3/8"
39	268942	2	Shoe W.A., Outer 4 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 4 80680 Lockwasher, 3/8" 4 84944 Nut, 3/8"
40	700515	2	Shoe W.A., Inner 2 88682 Carriage Bolt, 3/8" x 1", Gr. 5 4 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 6 80680 Lockwasher, 3/8" 6 84944 Nut, 3/8"
41	700895	2	Stand W.A.
42	28267	2	Pin
43	37851	2	Hairpin Cotter
44	625851	2	Washer, 2" (50.8mm) OD x 5/16" (8mm) Thick
45	280795	2	Cap Screw, Hex Head, 3/4" x 4", Gr. 8 2 87340 Lockwasher, 3/4"
46	142808	2	Plate
47	619973	AR	Shim, .036" (.91mm) Thick
48	773080	2	Lube Line
49	770146	2	Lube Line
50	773078	4	Lube Line
51	770147	2	Lube Line
52	773079	2	Lube Line
53	773088	2	Lube Line (Center Row Unit Only)
54	770148	2	Lube Line (Center Row Unit Only)
55	646429	3	Compression Fitting
56	783183	1	Stripper, L.H. 4 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 4 145458 Locknut, USR, 5/16"
57	791470	1	Stripper, L.H., W.A. 4 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 4 145458 Locknut, USR, 5/16"
58	791469	1	Stripper, R.H., W.A. 4 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 4 145458 Locknut, USR, 5/16"
59	783182	1	Stripper, R.H. 4 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 4 145458 Locknut, USR, 5/16"

AR - As Required

MODELS 939N4, 939R4 AND 939N6 ROW CROPS
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES



MODELS 939N4, 939R4, 939N5 AND 939N6 ROW CROPS
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES


Ref. No.	Part No.	No. Used			Description
		N4	N5	N6	
		R4			
1	783419	1			Channel W.A.
	783420			1	Channel W.A.
	787758		1		Channel W.A.
2	773204	2		3	Support W.A., R.H.
					1 84251 Lube Fitting, 1/8" x 2 5/64"-30°
					2 87909 Cap Screw, Hex Head, 1/2" x 1", Gr. 5
					2 88043 Cap Screw, Hex Head, 1/2" x 3 1/4", Gr. 5
					6 80700 Washer, 1/2"
					10 80679 Lockwasher, 1/2"
3	286696	2	1	2	Brace, R.H.
					*2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					2 80702 Washer, 3/8"
					2 80680 Lockwasher, 3/8"
					2 84944 Nut, 3/8"
4	286709	1			Rear Sheet, R.H.
					*2 135270 Lockscrew, Hex Serrated Head, 5/16" x 3/4"
					*2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					2 80702 Washer, 3/8"
					2 80680 Lockwasher, 3/8"
					2 145458 Locknut, USR, 5/16"
					2 84944 Nut, 3/8"
5	287641		1	3	Angle, R.H.
					*4 135270 Lockscrew, Hex Serrated Head, 5/16" x 3/4"
					4 145458 Hex Flanged Nut, 5/16"
6	579789	2	2	3	Side Sheet, R.H.
					*4 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
					*3 88992 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 1", Gr. 5
					3 80664 Washer, 5/16"
					3 80681 Lockwasher, 5/16"
					3 84943 Nut, 5/16"
					4 145458 Locknut, USR, 5/16"
7	287374	4	4	6	Stripper
					*3 88992 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 1", Gr. 5
					3 80664 Washer, 5/16"
					3 80681 Lockwasher, 5/16"
					3 84943 Nut, 5/16"
8	700100	8	10	12	Side Sheet
					AR 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
					AR 145458 Locknut, USR, 5/16"
9	287056	4	5	6	Chainboard W.A.
					*10 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5
					10 80702 Washer, 3/8"
					10 80680 Lockwasher, 3/8"
					6 84944 Nut, 3/8"
10	286697		1	6	Brace, L.H.
					*2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					2 80702 Washer, 3/8"
					2 80680 Lockwasher, 3/8"
					2 84944 Nut, 3/8"
11	579704	2		3	Cover
					*4 135270 Lockscrew, USR, 5/16" x 3/4"
					*2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
					2 80702 Washer, 3/8"
					2 80664 Washer, 5/16"
					2 80680 Lockwasher, 3/8"
					2 80681 Lockwasher, 5/16"
					4 145458 Locknut, USR, 5/16"

AR - As Required

*Quantities listed are for each piece of the Ref. No.

CONTINUE

MODELS 939N4, 939R4 AND 939N6 ROW CROPS
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES (CONTINUED)




MODELS 939N4, 939R4, 939N5 AND 939N6 ROW CROPS
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES (CONTINUED)

Ref. No.	Part No.	No. Used			Description
		N4	N5	N6	
		R4			
12	579702	2		3	Angle *2 135270 Lockscrew, USR, 5/16" x 3/4" 2 145458 Locknut, USR, 5/16"
13	579705	2	2	3	Side Sheet *5 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 5 145458 Locknut, USR, 5/16"
14	287057	4	5	6	Chainboard W.A. *5 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 5 80702 Washer, 3/8" 5 80680 Lockwasher, 3/8" 2 84944 Nut, 3/8"
15	134859	8	10	12	Clamp *1 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4" 1 80681 Lockwasher, 5/16" 1 84943 Hex Nut, 5/16"
16	773192	2	2	3	Support W.A., L.H. *2 84251 Lube Fitting, 1/8" x 2 5/64"-30° *2 87909 Cap Screw, Hex Head, 1/2" x 1", Gr. 5 *1 88043 Cap Screw, Hex Head, 1/2" x 3 1/4", Gr. 5 3 80700 Washer, 1/2" 5 80679 Lockwasher, 1/2"
17	579703	2		3	Cover *1 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 *1 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1" 1 80702 Washer, 3/8" 1 80680 Lockwasher, 3/8" 1 145458 Locknut, USR, 5/16" 1 84944 Nut, 3/8"
18	579701	2		3	Angle *2 135270 Lockscrew, USR, 5/16" x 3/4" 2 145458 Locknut, USR, 5/16"
19	579706	2	2	3	Side Sheet *4 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 4 145458 Hex Flanged Nut, 5/16"
20	286710	1		3	Rear Sheet *2 280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1" 2 80702 Washer, 3/8" 2 80680 Lockwasher, 3/8" 2 84944 Hex Nut, 3/8"
21	287642	2		3	Angle *2 135270 Lockscrew, USR, 5/16" x 3/4" 2 145458 Locknut, USR, 5/16"
22	579790	2	2	3	Side Sheet *5 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 5 145458 Hex Flanged Nut, 5/16"
23	* 11787	9	9	9	Fitting, Compression
24	*646429	3	3	3	Fitting, Compression
25	* 91932	7	7	7	Coupling, 1/8"
26	*606943	6	6	6	Lube Fitting
27	700611	1	1	1	Bracket, R.H. 2 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 2 80702 Washer, 3/8" 2 80680 Lockwasher, 3/8" 2 84944 Nut, 3/8"

Quantities listed are for each piece of the Ref. No.

CONTINUE

MODELS 939N4, 939R4 AND 939N6 ROW CROPS
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES (CONTINUED)




MODELS 939N4, 939R4, 939N5 AND 939N6 ROW CROPS
CHAINBOARDS, FRAME, SIDE SHEETS AND SKID SHOES (CONTINUED)

Ref. No.	Part No.	No. Used			Description
		N4	N5	N6	
		R4			
28	701260	1	1	1	Bracket, L.H. 2 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 2 80702 Washer, 3/8" 2 80680 Lockwasher, 3/8" 2 84944 Nut, 3/8"
29	268942	2	2	2	Shoe W.A., Outer 4 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 4 80680 Lockwasher, 3/8" 4 84944 Nut, 3/8"
30	700515	3	4	5	Shoe W.A., Inner *1 88682 Carriage Bolt, 3/8" x 1", Gr. 5 *2 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 3 80680 Lockwasher, 3/8" 3 84944 Nut, 3/8"
31	700895	2	2	2	Stand W.A.
32	28267	2	2	2	Pin
33	37851	2	2	2	Hairpin Cotter
34	625851	2	3	4	Washer, Special, 25/32" ID x 1 7/8" OD x 5/16", Thick
35	280795	2	3	4	Cap Screw, Hex Head, 3/4" x 4", Gr. 8 AR 87340 Lockwasher, 3/4"
36	142808	2	2	2	Plate 4 88992 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 1", Gr. 5 4 80681 Lockwasher, 5/16" 4 84943 Nut, 5/16"
37	619973	AR	AR	AR	Shim, .036" (.91mm)
40	783182	1	2	1	Stripper, R.H. 5 88992 Bolt, Rd. Hd., Sh. Sq. Neck, Gr. 5, 5/16" x 1" 5 145458 Locknut, USR, 5/16"
41	783180	1	1	1	Stripper, R.H. 2 88992 Bolt, Rd. Hd., Sh. Sq. Neck, Gr. 5, 5/16" x 1" 2 145458 Locknut, USR, 5/16"
42	783181	1	1	1	Stripper, L.H. 2 88992 Bolt, Rd. Hd., Sh. Sq. Neck, Gr. 5, 5/16" x 1" 2 145458 Locknut, USR, 5/16"
43	783183	1	2	1	Stripper, L.H. 5 88992 Bolt, Rd. Hd., Sh. Sq., Neck, Gr. 5, 5/16" x 1" 5 145458 Locknut, USR, 5/16"
44	*773080	1	1	1	Lube Line
45	*770146	1	1	1	Lube Line
46	*773078	2	2	2	Lube Line
47	*770147	1	1	1	Lube Line
48	*773079	1	1	1	Lube Line

AR - As Required

* Quantities listed are for each piece of the Ref. No.

MODEL 939 ROW CROP
ROW UNIT
GATHERING CHAINS, DRIVE AND KNIFE GROUP



MODEL 939 ROW CROP
ROW UNIT
GATHERING CHAINS, DRIVE AND KNIFE GROUP

Ref. No.	Part No.	No. Used*	Description
1	772527	2	Shaft
2	244638	(a)2 (b)3	Retaining Ring
3	719565	2	Bevel Gear, 15 Tooth
4	688917	2	Washer
5	618966	2	Washer
6	48198	2	Cone & Seal
7	36723	2	Bearing Cup
8	218230	2	Bearing Assembly
9	774773	4	Ring
10	616414	4	Seal
11	772892	2	Sprocket
12	80299	4	Washer, 5/8"
13	280567	4	Slotted Nut, 5/8", UNF 87398 Cotter Pin, 3/16" x 1 1/4"
14	771850	2	Channel
	771849	2	Channel 4 87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5
15	601604	2	Bracket
16	783714	2	Gathering Chain AR 43614 Roller Link AR 795337 Attachment Link AR 783715 Connector Link
17	772953	2	Idler Sprocket
18	27291	2	Bearing
19	616780	2	Retaining Ring --- Replaces 27754
20	27697	AR	Washer
21	138728	5	Cap 2 88328 Bolt, Rd. Hd., Sh. Sq. Neck 5/8" x 3 1/4", Gr. 5 2 84057 Lockwasher, 5/8" 2 84947 Nut, 5/8"
22	709118	2	Idler Support
23	705919	2	Bolt W.A. 2 87364 Washer, 1/2", SAE 2 280431 Nut, 1/2", Gr. 5 2 84970 Jam Nut, 1/2"
24	772965	2	Spacer
25	772891	2	Sprocket W.A. - 14 Tooth
	773045		Sprocket W.A., Center Row 2 87831 Woodruff Key, 5/16" 1 1/4"
26	771885	(a)2 (b)1	Shaft
27	261336	4	Seal
28	708756	(a)AR	Shim
29	33212	AR	Washer
30	577060	2	Disc Knife 8 88682 Carriage Bolt, 3/8" x 1", Gr. 5 8 80680 Lockwasher, 3/8" 8 84944 Nut, 3/8"
31	579925	4	Plate 4 281004 Plow Bolt, 3/8" x 1 1/4" 4 80680 Lockwasher, 3/8" 4 84944 Nut, 3/8"
32	287370	(a)2 (b)1	Disc W.A.
33	574245	(a)2 (b)1	Washer
34	285585	(a)2 (b)1	Bolt, Special
35	579912	2	Spacer

767263

AR - As Required


*Quantities Shown are for (1) Row Unit

(a) Quantity used on first year European Machines

(b) Quantity used on All Other Machines

CONTINUE

MODEL 939 ROW CROP
ROW UNIT
GATHERING CHAINS, DRIVE AND KNIFE GROUP (CONTINUED)




MODEL 939 ROW CROP
ROW UNIT
GATHERING CHAINS, DRIVE AND KNIFE GROUP (CONTINUED)

Ref. No.	Part No.	No. Used*	Description
36	771848	2	Sprocket, 7 Tooth
	773055		Sprocket, 9 Tooth
37	634706	2	Seal --- Replaces 213712
38	771852	1	Chain Guide W.A., R.H.
		1	87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5
		1	88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5
		2	80664 Washer, 5/16"
		2	80680 Lockwasher, 5/16"
39	286730	1	Gathering Chain Assembly, CA620, 36 Pitches
			AR 43614 Roller Link
			AR 42948 Attachment Link
			AR 697306 Connector Link
40	122880	1	Gathering Chain Assembly, CA620, 44 Pitches
41	706916	2	Rod W.A.
		2	84971 Jam Nut, 5/8"
		2	84947 Nut, 5/8"
42	35324	2	Spring
43	700568	2	Idler Bracket W.A.
44	139289	2	Idler Sprocket
		2	280119 Cap Screw, Hex Head, 5/8" x 3 1/2", Gr. 5
		2	84057 Lockwasher, 5/8"
		2	84947 Nut, 5/8"
45	66553	2	Ball Bearing
46	12084	2	Retaining Ring
47	87365	AR	Washer, 5/8", SAE
48	27258	2	Plunger Stop
49	139267	2	Guard W.A.
50	137560	2	Washer
51	43513	2	Support Plate
52	629764	1	Cover, R.H.
		1	280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
		1	145458 Locknut, USR, 5/16"
53	629763	1	Cover, L.H.
		1	280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5
		1	145458 Locknut, USR, 5/16"
54	773037	1	Plate W.A., R.H.
		2	280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
		2	80702 Washer, 3/8"
		2	80680 Lockwasher, 3/8"
		2	84944 Nut, 3/8"
55	138741	1	Sprocket, 9 Tooth (R.H. & L.H. Row Units Only)
		1	87338 Cap Screw, Hex Head, 5/8" x 3", Gr. 5
		1	80299 Washer, 5/8"
		1	84057 Lockwasher, 5/8"
		1	84947 Nut, 5/8"
56	773038	1	Plate W.A., R.H.
		2	280503 Bolt, Rd. Hd., Sh. Sq. Neck, 3/8" x 1", Gr. 5
		2	80702 Washer, 3/8"
		2	80680 Lockwasher, 3/8"
		2	84944 Nut, 3/8"
57	771851	1	Chain Guide W.A., L.H.
		1	87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5
		1	88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5
		2	80664 Washer, 5/16"
		2	80680 Lockwasher, 5/16"
58	(b)786700	1	Shaft
59	(b)786699	1	Disc W.A.
60	(b)786698	1	Spring

AR - As Required

*Quantities Shown are for (1) Row Unit

MODEL 939 ROW CROP
RC80 CONVERSION KITS




Ref. No.	Part No.	No. Used	Description
	786041		RC80 Conversion Kit, L.H. and R.H. Row Units
	786042		RC80 Conversion Kit, Center Row Unit
1	218230	2	Bearing Cone & Seal Assembly
2	774773	2	Ring
3	616414	2	Seal
4	772892	2	Sprocket
5	783714	2	Gathering Chain
	AR 43614		Roller Link
	AR 707682		Attachment Link
	AR 783715		Connector Link
6	786043	2	Sprocket W.A., 14 Tooth, L.H. and R.H. Row Units Only
	786044	2	Sprocket W.A., 17 Tooth, Center Row Only
7	772965	2	Spacer
8	772953	2	Idler Sprocket
9	27291	2	Bearing
10	616780	2	Retaining Ring --- Replaces 27754
11	27697	10	Washer

AR - As Required

NOTES

MODEL 939 ROW CROPS
MAIN DRIVE GROUP




MODEL 939 ROW CROPS
MAIN DRIVE GROUP

Ref. No.	Part No.	No. Used				Description
		N3 R3	N4 R4	N5	N6	
1	*287801	1	1	1	2	Chain Assembly, RC 60, 90 Pitches --- Replaces 121190 AR 25808 Roller Link AR 25817 Offset Link AR 25812 Connector Link
2	576258	1	1	1		Slip Clutch Assembly
	610349				2	Slip Clutch Assembly
3	127434	4	4	4	4	Friction Disc
4	49683	2	2	2	2	Clutch Plate
5	121092	2	2	2	4	Spring Washer
6	576253	1	1	1		Drive Plate
7	576257	1	1	1		Clutch Hub
	629556				2	Clutch Hub
8	88616	3	3	3	6	Tap Bolt, Hex Head, Gr. 5, 3/8" x 1 1/2"
9	576255	1	1	1		Sprocket and Bushing with 4 Dowel Pins, Ref. 9B
	143760				2	Sprocket and Bushing
9A	49686	1	1	1	2	Bushing
9B	81843	4	4	4		Dowel Pin, 3/8" x 1 1/4"
10	707372	1	1	1	2	Locking Bracket
11	164999	AR	AR	AR	AR	Washer, 1 3/4" (44.4mm) OD, 1/32" (.78mm) Thick 164086 Cotter Pin, 3/16" x 1 1/2", Hardened
12	130357	AR	AR	AR	AR	Washer, 2 3/8" (60mm) OD x 1/16" (1.6mm) Thick
13	578189	14	18	22	28	Flangette
		21	27	33	42	280503 Bolt, Short Square Neck, 3/8" x 1"
		21	27	33	42	80680 Lockwasher, 3/8"
		21	27	33	42	84944 Hex Nut, 3/8"
14	121602	7	9	11	14	Ball Bearing, Hex Bore
15	269060	3	3	2	2	Coupling Sleeve
		3	3	2	2	80759 Cotter Pin, 3/16" x 2 1/2"
16	214539	AR	AR	AR	AR	Washer, 2" (50mm) OD x .020" (.5mm) Thick
17	719563	6	8	10	12	Bevel Gear
18	267835	1				Hex Shaft, 22 3/4" (578mm)
	700771		1		1	Hex Shaft, 51 5/16" (1303mm)
	787754			1		Hex Shaft, 48.0" (1219.2mm)
						2 164086 Cotter Pin, 3/16" x 1 1/2" Hardened
19	269062	1	1			Hex Shaft, 22 7/8" (581mm)
	610073				1	Hex Shaft, 62 3/16" (1580mm)
	787753			1		Hex Shaft, 25.9" (657.9mm)
						2 164086 Cotter Pin, 3/16" x 1 1/2", Hardened
20	269061	1				Hex Shaft, 7 5/8" (1941mm) --- R3 Only
	602025		1			Hex Shaft, 4 5/16" (110mm) --- N4 Only
	602024		1			Hex Shaft, 12 15/16" (329mm) --- R4 Only
21	269063	1	1			Hex Shaft, 36 5/16" (922mm)
	610073				1	Hex Shaft, 62 3/16" (1580mm)
	787755			1		Hex Shaft, 54.0" (1371.6mm)
22	772534	6	8		12	Spacer

AR - As Required

*NOTE: Part No. 287801 is actually 89 Pitches. When replacing Complete Chain, also order (1) of 25817 Offset Link.

MODEL 939 ROW CROPS
RIGHT HAND POWER DIVIDER




MODEL 939 ROW CROPS
RIGHT HAND POWER DIVIDER

Ref. No.	Part No.	No. Used	Description
			Right Hand Power Divider Bundle
1	623801	1	Cap W.A.
2	635623	1	Spacer
3	783458	1	Sprocket W.A. (Includes Ref. Nos. 4 & 5)
4	12084	1	Retaining Ring
5	66553	2	Ball Bearing
6	48360	1	Washer
7	716252	1	Universal W.A.
			1 80722 Lube Fitting, 3/16"
			2 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5
			2 252687 Washer, Special
			2 80681 Lockwasher, 5/16"
8	716251	1	Universal W.A.
			1 87414 Lube Fitting, 1/4"-28
9	40293	2	Bushing
10	716243	1	Rear Sheet W.A., R.H., Includes Ref. No. 9
11	249100	2	Washer
12	701036	1	Washer, Nylon
13	696633	1	Shaft W.A.
			1 87973 Groove Pin, "E", 1/4" x 1 1/4"
14	716356	1	Shield, R.H.
15	602512	1	Gusset, R.H.
16	46520	1	Shearbolt, w/Locknut

NOTE: Right Hand Power Divider is standard on Model 939N6 and 939N5

MODEL 939 ROW CROPS
LEFT HAND POWER DIVIDER




MODEL 939 ROW CROPS
LEFT HAND POWER DIVIDER

Ref. No.	Part No.	No. Used	Description
			Left Hand Power Divider Bundle
1	623801	1	Cap W.A.
2	635623	1	Spacer
3	783458	1	Sprocket W.A. (Includes Ref. Nos. 4 & 5)
4	12084	1	Retaining Ring
5	66553	2	Ball Bearing
6	48360	1	Washer
7	716252	1	Universal W.A.
			1 80722 Lube Fitting, 3/16"
			2 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5
			2 252687 Washer, Special
			2 80681 Lockwasher, 5/16"
8	716251	1	Universal W.A.
			1 87414 Lube Fitting, 1/4"-28
9	40293	2	Bushing
10	716250	1	Rear Sheet W.A., L.H., Includes Ref. No. 9
11	249100	2	Washer
12	701036	1	Washer, Nylon
13	696633	1	Shaft W.A.
			1 87973 Groove Pin, "E", 1/4" x 1 1/4"
14	602334	1	Shield, L.H.
15	602511	1	Gusset, L.H.
16	46520	1	Shearbolt, w/Locknut


NOTE: Left Hand Power Divider is standard on Model 939N6 and 939N5

MODEL 939 ROW CROP
LEFT DIVIDER BUNDLE (NON-POWERED)




Ref. No.	Part No.	No. Used	Description
1	700777	1	Left Divider Bundle Divider W.A. 1 87909 Cap Screw, Hex Head, 1/2" x 1", Gr. 5 1 80700 Washer, 1/2" 1 80679 Lockwasher, 1/2" 1 280431 Nut, 1/2", Gr. 5
2	701259	1	Cover W.A., L.H. 2 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 1 88011 Cap Screw, Hex Head, 3/8" x 1 1/4", Gr. 5 2 80681 Lockwasher, 5/16" 2 84943 Nut, 5/16" 1 88902 Locknut, 3/8", Gr. C
3	137563	1	Bracket 1 88272 Cap Screw, Hex Head, 1/2" x 4", Gr. 5 1 88871 Locknut, 1/2", Gr. C
4	574623	1	Support Shaft W.A.
5	574626	1	Support Pipe W.A. 1 88436 Cap Screw, Hex Head, 3/8" x 2", Gr. 5 2 87936 Cap Screw, Hex Head, 3/8" x 2 1/2", Gr. 5 2 80702 Washer, 3/8" 3 80680 Lockwasher, 3/8" 1 84944 Nut, 3/8"

MODEL 939 ROW CROP
RIGHT DIVIDER BUNDLE (NON-POWERED)



Ref. No.	Part No.	No. Used	Description
1	700777	1	Right Divider Bundle Divider W.A. 1 87909 Cap Screw, Hex Head, 1/2" x 1", Gr. 5 1 80700 Washer, 1/2" 1 80679 Lockwasher, 1/2" 1 280431 Nut, 1/2", Gr. 5
2	701126	1	Cover W.A., R.H. 2 280497 Bolt, Rd. Hd., Sh. Sq. Neck, 5/16" x 3/4", Gr. 5 1 88011 Cap Screw, Hex Head, 3/8" x 1 1/4", Gr. 5 2 80681 Lockwasher, 5/16" 2 84943 Nut, 5/16" 1 88902 Locknut, 3/8", Gr. C
3	137563	1	Bracket 1 88272 Cap Screw, Hex Head, 1/2" x 4", Gr. 5 1 88871 Locknut, 1/2", Gr. C
4	574623	1	Support Shaft W.A.
5	574626	1	Support Pipe W.A. 1 88436 Cap Screw, Hex Head, 3/8" x 2", Gr. 5 2 87936 Cap Screw, Hex Head, 3/8" x 2 1/2", Gr. 5 2 80702 Washer, 3/8" 3 80680 Lockwasher, 3/8" 1 84944 Nut, 3/8"

MODEL 919W PICKUP ATTACHMENTS
MAIN FRAME, SHIELDS AND SKID SHOE GROUP



Ref. No.	Part No.	No. Used 919W3 919W4	Description
1	283152 702015	1 1	Main Frame W.A. Main Frame W.A.
		+2	88557 Cap Screw, Hex Head, 3/4" x 2", Gr. 5
		+2	141781 Washer, 1 7/8" (48mm) OD x 1/4" (6.3mm) Thick
		+2	87340 Lockwasher, 3/4"
		++2	280210 Cap Screw, Hex Head, 3/4" x 4", Gr. 5
		++2	625851 Washer, 2" (508mm) OD x 5/16" (8mm) Thick

+ Used with 2" Bolt
++ Used with 4" Bolt

CONTINUE


MODEL 919W PICKUP ATTACHMENTS
MAIN FRAME, SHIELDS AND SKID SHOE GROUP (CONTINUED)

Ref. No.	Part No.	No. Used 919W3 919W4		Description
2	577620	1		Guide, L.H. 1 87887 Self-Tapping Screw, Hex Head, 5/16" x 3/4", Type "B" 1 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 2 80664 Washer, 5/16" 1 80681 Lockwasher, 5/16"
3	577619	1	1	Guide, R.H. 1 87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5 1 88543 Cap Screw, Hex Head, 5/16" x 1", Gr. 5 2 80664 Washer, 5/16" 2 80681 Lockwasher, 5/16"
4	283335	1	1	Shield W.A. 2 87872 Cap Screw, Hex Head, 5/16" x 3/4", Gr. 5 2 80664 Washer, 5/16" 2 80681 Lockwasher, 5/16"
5	576576	2	2	Arm W.A. 4 88436 Cap Screw, Hex Head, 3/8" x 2", Gr. 5 4 80680 Lockwasher, 3/8" 4 84944 Nut, 3/8"
6	283330 702013	1	1	Windguard W.A. Windguard W.A. 3 88182 Cotter Pin, 1/4" x 2"
7	176372	2	2	Shoe W.A. 4 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 2 87972 Cap Screw, Hex Head, 1/2" x 2 1/2", Gr. 5 4 80680 Lockwasher, 3/8" 2 80679 Lockwasher, 1/2" 4 84944 Nut, 3/8" 2 280431 Nut, 1/2", Gr. 5
8	44612	2	2	Spacer 2 88011 Cap Screw, Hex Head, 3/8" x 1 1/4", Gr. 5 2 80702 Washer, 3/8" 2 80680 Lockwasher, 3/8" 2 84944 Nut, 3/8"
9	627056	1	1	Cover 2 523291 Lockscrew, 1/4" x 1/2", USR 2 523282 Locknut, 1/4", USR
10	224165	2		Strap W.A. 4 87887 Screw, Hex Head, Self-Tapping, Type "B", 5/16" x 3/4" 2 88681 Carriage Bolt, 3/8" x 1 1/4", Gr. 5 2 80680 Lockwasher, 3/8" 2 84944 Nut, 3/8"
11	225508	2		Shoe W.A. 4 88206 Cap Screw, Hex Head, 3/8" x 1", Gr. 5 2 87868 Carriage Bolt, 1/2" x 1 1/4", Gr. 5 4 80680 Lockwasher, 3/8" 2 80679 Lockwasher, 1/2" 4 84944 Hex Nut, 3/8" 2 280431 Nut, 1/2", Gr. 5

FOLLOWING ARE USED ON EUROPEAN UNITS

12	419017	2	Guard W.A.
13	537464	1	Cover
14	424594	1	Guard

↓
MODEL 919W PICKUP ATTACHMENTS
PICKUP AND PICKUP DRIVE GROUP



MODEL 919W PICKUP ATTACHMENTS
PICKUP AND PICKUP DRIVE GROUP


Ref. No.	Part No.	No. Used 919W3 919W4		Description
1	611784	1	1	Sprocket W.A., 17T (Optional)
	269442	1	1	Sprocket W.A., 14T
2	269490	1	1	Roller Chain Assembly, RC50, 152 Pitches AR 25805 Roller Link AR 42472 Connecting Link, Cotter Pin Type
3	13701	2	2	Sprocket and Bearing Assembly 2 88551 Cap Screw, Hex Head, 1/2" x 1 3/4", Gr. 5 2 80679 Lockwasher, 1/2" 2 280431 Nut, 1/2"
4	87364	6	6	Washer, 1/2", SAE
5	130357	AR	AR	Washer, .060" (1.5mm) Thick
6	269443	1	1	Sprocket W.A. w/Bushings and Grease Fittings, 42T 2 87414 Grease Fitting, 1/4"-28, Straight, Self-Tapping
7	29860	2	2	Pin
8	29840	2	2	Spring
9	283357	1	1	Clutch Assembly --- Includes Ref. Nos. 10 thru 16
10	269441	1	1	Clutch Hub W.A.
11	224666	1	1	Clutch Plate
12	128651	2	2	Friction Disc
13	28211	1	1	Clutch Face
14	28284	6	6	Spring
15	80702	6	6	Washer, 3/8"
16	280161	6	6	Cap Screw, Hex Head, 3/8" x 3", Gr. 5
17	578189	4	4	Flangette 3 88434 Cap Screw, Hex Head, 3/8" x 3/4", Gr. 5 3 280503 Bolt, Sh. Sq. Neck, 3/8" x 1", Gr. 5 3 87016 Washer, 3/8" 6 80680 Lockwasher, 3/8" 3 84944 Nut, 3/8" 3 84969 Jam Nut, 3/8"
18	121602	2	1	Ball Bearing, Hex Bore
19	269488	1		Hex Shaft, 90 3/4" (2305mm) Long
	647563		1	Hex Shaft, 10 7/16" (265mm) Long 1 280620 Cap Screw, Hex Head, 1/2" x 3", Gr. 8 1 87364 Washer, 1/2", SAE 1 34043 Spacer 1 80679 Lockwasher, 1/2" 1 280431 Nut, 1/2", Gr. 5
20	269486	4		Tooth Pipe W.A., 80" (2032mm) Long
	786767		4	Tooth Pipe W.A., 111 1/2" (2832mm) --- Replaces 702007
21	131673	60	84	Pickup Finger
22	134921	60	84	Pickup Finger Bracket
23	136137	60	84	Pickup Finger Spacer
24	130891	60	84	Bolt, Pickup Finger AR 280736 Locknut, 5/16", Gr. C
25	136525	3		Disc W.A. 6 87616 Set Screw, Sq. Hd., Cup Point, 3/8" x 3/4" 6 84969 Jam Nut, 3/8"
	647560		3	Tube, Shaft & Disc W.A.
26	54770	12	16	Ball Bearing
27	54695	12	16	Bearing Center *2 280430 Carriage Bolt, 3/8" x 3/4", Gr. 5 *2 80680 Lockwasher, 3/8" *2 84944 Nut, 3/8"
28	136521	12	16	Cotter Pin, Hardened, 1/4" x 1 3/4"
29	225509	1	1	Pickup Guard, R.H. 4 280857 Self-Tapping Screw, H. Hd., Type "B", 5/16" x 1 1/2"
30	134526	29	41	Pickup Guard *4 280857 Self-Tapping, Hex Head, Type "B", 5/16" x 1/2"

AR - As Required

*Quantity Required For Each Part

CONTINUE


MODEL 919W PICKUP ATTACHMENTS
PICKUP AND PICKUP DRIVE GROUP (CONTINUED)



MODEL 919W PICKUP ATTACHMENTS
PICKUP AND PICKUP DRIVE GROUP (CONTINUED)

Ref. No.	Part No.	No. Used		Description
		919W3	919W4	
31	692733 S	1	1	Pickup Guard, L.H. 5 280857 Self-Tapping Screw, Hex Head, Type "B", 5/16" x 1/2"
32	249062	4	4	Cam Follower 8 87364 Washer, 1/2", SAE 4 88130 Locknut, 1/2", UNF
33	646798	1	1	Inner Cam W.A. --- Replaces 701985
34	646799	1	1	Outer Cam --- Replaces 136736, This Application Only 3 88011 Cap Screw, Hex Head, 3/8" x 1 1/4" 3 34187 Washer, .105" (2.6mm) Thick 3 80680 Lockwasher, 3/8"
35	283162	1	1	Cup
36	133429	2	2	Bushing
37	280736	60	84	Locknut, 5/16", Gr. C
39	47066		1	Ball Bearing
40	47067		1	Locking Collar with Set Screw 1 80425 Set Screw, Hex Socket, 3/8" x 3/8", Cup Point

MODEL 919W PICKUP ATTACHMENT
OPTIONAL WHEEL BUNDLE



Ref. No.	Part No.	No. Used	Description
1	612137	1	Arm W.A., R.H., Includes (2) of Ref. No. 2
	612138	1	Arm W.A., L.H., Includes (2) of Ref. No. 2
2	29974	4	Bushing
3	612122	22	Washer, 1/4" (6.3mm) Thick
4	214445	2	Washer
5	87670	2	Cap Screw, Hex Head, 1/2" x 1 1/4", Gr. 5
6	63085	2	Flinger
7	612127	2	Fork W.A.
8	136377	2	Wheel
9	36255	2	Tire
	N.S. 25447	2	Tube
10	132709	4	Bearing Cup
11	132710	4	Bearing Cone
12	136376	4	Seal
13	612121	8	Spacer
14	612120	4	Cover
15	289668	2	Shaft W.A.
16	603373	2	Hex Slotted Jam Nut
		2	87400 Cotter Pin, 3/16" x 2"

N.S. - Not Stocked

DEALER INFORMATION ONLY
RECOMMENDED INITIAL PARTS STOCK

MODELS 939A3 939A4 939A6	MODELS N3 R3	MODELS N4 R4 N5 N6	MODEL 919W	PART NO.	DESCRIPTION	QUANTITY FOR 5 MACHINES
	X	X		12084	Retaining Ring	8
			X	25805	Roller Link	10
	X	X		25817	Offset Link	3
			X	28284	Spring	6
			X	29840	Spring	4
			X	29860	Pin	4
	X	X		35324	Spring	4
X				38767	Locking Collar	3
			X	42472	Connecting Link	2
	X	X		42948	Attachment Link	10
	X	X		43614	Roller Link	20
			X	47066	Ball Bearing	3
			X	47067	Locking Collar	3
	X	X		48198	Cone & Seal	1
X				52443	Collar	1
X				52444	Ball Bearing	1
			X	54695	Bearing Carrier	8
			X	54770	Ball Bearing	8
X				66486	Bearing Assembly	3
	X	X		66553	Ball Bearing	8
X				66865	Coupling Chain	2
X				76836	Ball Bearing	3
	X	X	X	121602	Ball Bearing, Hex Bore	3
	X	X		122880	Gathering Chain	2
X	X	X		127434	Friction Disc, Clutch	4
			X	128651	Friction Disc, Clutch	4
			X	130891	Bolt, Pickup Finger	40
			X	131673	Pickup Finger	40
			X	134526	Pickup Guard	10
			X	134921	Bracket, Pickup Finger	40
X				135241	Ball Bearing, Hex Bore	3
			X	136137	Spacer, Pickup Finger	40
			X	136521	Cotter Pin, Hardened	10
X				136527	Bearing Housing	2
	X	X		139289	Idler Sprocket	4
X				146258	Washer, Special	10
X				182937	Flangette	6
	X	X		213712	Oil Seal	4
	X	X		218230	Bearing Assembly	8
			X	249062	Cam Follower	4
			X	269486	Tooth Pipe	2
			X	280161	Cap Screw, Hex Head	6
			X	283357	Clutch Assembly	1
	X	X		286730	Gathering Chain	3
				288793	Finger Holder	10
				288799	Finger Guide	10
	X	X		576258	Clutch Assembly	1
	X	X		577060	Knife Disc	4
	X	X	X	578189	Flangette	6
	X	X		579925	Plate Weld Assembly	4
X				608767	Sprocket	2
		X		610349	Clutch Assembly (939N6)	1
X	X	X		636429	Bearing Housing	1
			X	684321	Tooth Pipe	2

CONTINUED

DEALER INFORMATION ONLY
RECOMMENDED INITIAL PARTS STOCK (CONTINUED)

MODELS 939A3 939A4 939A6	MODELS N3 R3	MODELS N4 R4 N5 N6	MODEL 919W	PART NO.	DESCRIPTION	QUANTITY FOR 5 MACHINES
X				701041	Finger, Auger	10
	X	X		707682	Attachment Link	20
	X	X		709632	Pin	4
		X		716251	Universal Assembly	1
	X	X		719563	Bevel Gear	3
	X	X		719565	Bevel Gear	4
	X	X		771848	Sprocket	2
	X	X		772891	Sprocket	1
	X	X		772892	Sprocket	2
	X			772953	Sprocket	2
	X			773045	Sprocket	2
		X		773055	Sprocket	2
	X	X		774773	Ring	5
X				783458	Sprocket (939N6)	1
	X	X		783714	Gathering Chain	4
	X	X		783715	Connector Link	2

NUMERICAL PARTS INDEX

PART NO.	REF. NO.	PAGE NO.	PART NO.	REF. NO.	PAGE NO.	PART NO.	REF. NO.	PAGE NO.	PART NO.	REF. NO.	PAGE NO.
11787	34	43	46520	16	59	135632		29	228872	13	19
	23	47		16	61			37		13	21
12084	46	53	47066	39	69	136137	23	67		16	23
	4	59	47067	40	69	136376	12	70	237911	15	41
	4	61	48198	6	51	136377	8	70	244638	2	51
13701	3	67	48360	6	59	136521	28	67	247780		15
25447	9	70		6	61	136525	25	67			29
25494	31	15	49683	4	57	136527	4	19			31
25667	12	13	49686	91	57		4	21			35
25805		67	52443	5	13		5	22			37
25808		16	52444	4	13	136538	17	13			39
		19	52449	2	13	137560	50	53			41
		21	54695	27	67	137563	3	62			43
		23	54770	26	67		3	63	249062	32	69
		57	58225		27	138539	29	15	249100	11	59
25812		16			33	138728	21	51		11	61
		23	59735	33	43	138741	55	53	252687		59
		57	63085	6	70	139267	49	53			61
25817		16	66486	19	16	139289	44	53	256713		19
		19	66553	45	53	139939	22	23	261150	1	16
		23		5	59	140775	5	17	261336	27	51
		57		5	61	141781		64	267835	18	57
26129	25	15	66865	18	23	142808	46	43	267887	12	19
26130	19	13	66959		19		36	49		12	21
27258	48	53			21	142967	32	11		14	23
27291	18	51			23	143760	9	57	267888	12	19
	9	54	67629	28	15	145458		9		12	21
27697	20	51	76836	5	19			11		14	23
	11	54		5	21			19	267889	12	19
28211	13	67		6	22			27		12	21
28267	7	9	91932	35	43			29		14	23
	42	43		25	47			33	267890	12	19
	32	49	101406	34	15			35		12	21
28284	14	67	105291	31	11			37		14	23
29840	8	67	121092	5	57			39	267891	12	19
29860	7	67	121512	2	16			41		12	21
29974	2	70	121602	14	57			43		14	23
32364	16	13		18	67			45	267892	12	19
33212	29	51	122516	73	16			47		12	21
34043		67	122880	40	53			49		14	23
34187		9	127434	9	16			53	267953	2	19
		69		3	57	145913		9	268027	8	13
35324	42	53	128651	12	67	146258	11	19	268035	15	16
36255	9	70	130357	12	57		11	21	268036	1	13
36723	7	51		5	67		15	23		20	16
36803		19	130891	24	67	164086		57	268239	3	19
		21	131673	21	67	164995	14	16	268942	39	43
		23	132144	21	23	164999	11	57		29	49
37851	8	9	132159	20	23	165076	36	15	269060	15	57
	43	43	132709	10	70	165590		19	269061	20	57
	33	49	132710	11	70			21	269062	19	57
38767	6	19	132758	9	13			23	269063	21	57
	6	21	132759	10	13	176372	7	65	269441	10	67
	7	22	133429	36	69	182937	14	13	269442	1	67
40293	9	59	134526	30	67	204025		63	269443	6	67
	9	61	134859	15	47	204026		62	269486	20	67
40974		11	134921	22	67	214445	4	70	269488	19	67
42472		67	135241	15	13	214539	16	57	269490	2	67
42948		53	135270		39	218230	8	51	271288		9
43513	51	53			41		1	54			15
43614		51			43	224165	10	65	283152	1	64
		53			45	224666	11	67	283162	35	69
		54			47	225508	11	65	283326	2	9
44612	8	65	135632		17	225509	29	67	283330	6	65

CONTINUE

30

NUMERICAL PARTS INDEX (CONTINUED)

PART NO.	REF. NO.	PAGE NO.	PART NO.	REF. NO.	PAGE NO.	PART NO.	REF. NO.	PAGE NO.	PART NO.	REF. NO.	PAGE NO.
283335	4	65	287642	21	47	600890	5	16	612138	1	70
283357	9	67	287643	17	29	600891	13	16	615310	23	29
285585	34	51	287801	1	57	601604	15	51		32	37
286696	3	39	288791	18	13	602024	20	57	616025	11	16
	3	45	288793	20	13	602025	20	57	616414	10	51
286697	10	39	288797	21	13	602027	27	35		3	54
	10	45	288799	23	13	602334	31	37	616780	19	51
286700	17	41	288802	26	15		14	61		10	54
286701	21	41	289356	11	9	602488	3	9	617815	4	16
286709	4	39	289358	9	19	602511	30	35	618966	5	51
	4	45		9	21		15	61	619939	34	11
286710	28	43		11	23	602512	28	35	619973	47	43
	20	47	289363	27	15		15	59		37	49
286730	39	53	289668	15	70	602914	11	13	621866	16	16
287012	22	41	419017	12	65	603373	16	70	623801	1	59
287013	18	41	424594	14	65	604111	26	29		1	61
287017	21	29	523282		11		31	37	625851	44	43
287018	21	29			27	604112	25	29		34	49
287019	9	27			33		29	35			64
	9	33			65	605024	6	27	627056	9	65
287020	8	27	523291		65		6	33	629556	7	57
	8	33	523292		9		15	41	629763	53	53
287021	8	27			11	606271	10	19	629764	52	53
	8	33			27		10	21	630118	15	9
287022	9	27			33		12	23	634036	37	53
	9	33	537464	13	65	606943	36	43	634385	3	16
287027	10	27	574245	18	16		26	47	635264	30	11
	10	33		33	51	608268	14	19	635623	2	59
287028	10	27	574290	12	27		14	21		2	61
	10	33	574623	4	62	608397	24	15	636425	32	15
287056	9	39		4	63	608754	27	15	636429	3	13
	9	45	574626	5	62	608756	9	22	636430	33	15
287057	14	41		5	63	608765	2	22	636514	30	11
	14	47	576253	12	16	608766	1	22	643600	8	16
287359	24	29		6	57	608767	17	23	643603	7	16
	30	35	576255	9	57	608776	20	11	643642	24	23
287360	27	29	576257	7	57	608778	19	23	646429	55	43
	28	35	576258	2	57	608838	4	22		24	47
287363	3	27	576576	5	65	609070		13	646798	33	69
	3	33	577060	30	51	609170	9	9	646799	34	69
287364	1	27	577619	3	65		23	11	647560	25	67
	1	33	577620	2	65	609171	23	11	647563	19	67
287368	20	29	578189	13	57	609375	9	9	675027	16	19
	20	35		17	67	609670	12	35		16	21
287370	32	51	579701	26	41	609676	15	29		28	25
287373	20	41		18	47		15	35	675033	17	19
287374	7	39	579702	12	39	609677	16	35	675035	17	19
	7	45		12	47	609981	17	35	675037	17	21
287380	20	29	579703	25	41	609983	22	35	675704	27	23
	20	35		17	47	610073	21	57	675705	31	25
287383	19	29	579704	11	39		19	57	675706	26	23
	19	35		11	45	610349	2	57	675712	30	25
287384	17	29	579705	13	39	610730	24	15	675714	29	25
	17	35		13	47	610914	28	11	675716	25	23
287385	5	27	579706	27	41	611144	1	19	676638	1	19
	5	33		19	47	611152	12	9	686243	3	22
287467	22	29	579789	6	39	611153	10	9	688917	4	51
	22	35		6	45	611155	27	11	692733	31	69
287633	18	29	579790	30	43	611784	1	67	694322	28	29
	18	35		22	47	612120	14	70		39	37
287634	16	29	579912	35	51	612121	13	70	695058	29	29
287641	5	39	579925	31	51	612122	3	70		40	37
	5	45	600867	10	16	612127	7	70	695933	17	9
287642	29	43	600868	6	16	612137	1	70	695934	18	9

CONTINUE

NUMERICAL PARTS INDEX (CONTINUED)

PART NO.	REF. NO.	PAGE NO.	PART NO.	REF. NO.	PAGE NO.	PART NO.	REF. NO.	PAGE NO.	PART NO.	REF. NO.	PAGE NO.
695940	13	9	714616	2	21	773192	16	47	796224	24	15
695941	14	9	714648	1	21	773198	16	41	801087		59
696474	22	11	714866	14	29	773204	2	39	801088		61
696633	13	59		14	35		2	45	849706	13	29
	13	61	715886	6	9	773925	1	17		13	35
697306		53	715888	5	9	773926	2	17	851342	41	37
700087	19	41	716243	10	59	774768	36	11	851344	43	37
700088	23	41	716248	11	27	774769	6	13	851345	42	37
700100	8	39		11	33	774773	9	51	851346	43	37
	8	45	716250	10	61		2	54	851347	42	37
700511	2	27	716251	8	59	774867	28	11	854841	30	15
	2	33		8	61	774868	28	11	854920	10	9
700515	40	43	716252	7	59	774901	3	19	854921	12	9
	30	49		7	61		3	21	857279	35	15
700568	43	53	716356	29	35		13	23	857778		13
700575	33	37		14	59	783180	41	49	857799	9	9
700610	26	35	716358	4	27	783181	42	49		23	11
700611	37	43		4	33	783182	59	43	857800	1	9
	27	47	717017	4	9		40	49	857803	26	11
700633	2	27	719563	17	57	783183	56	43	857804	28	11
	2	33	719565	3	51		43	49	857814	13	13
700767	24	35	765532	37	15	783418	1	39	857816	13	13
700768	23	35	765533	38	15	783419	1	45	857818	13	13
700769	23	35	770032	12	19	783420	1	45	857820	13	13
700770	25	35		12	21	783458	3	59			
700771	18	57		14	23		3	61			
700776	25	35	770146	49	43	783714	16	51			
700777	1	62		45	49		5	54			
	1	63	770147	51	43	783715		51			
700895	41	43		47	49			54			
	31	49	770148	54	43	783921	33	11			
701036	12	59	771848	36	53	783922	19	9			
	12	61	771849	14	51	784842	3	17			
701041	22	13	771850	14	51	786041		54			
701126	2	63	771851	57	53	786042		54			
701173	34	37	771852	38	53	786043	6	54			
701259	2	62	771885	26	51	786044	6	54			
701260	38	43	772527	1	51	786333	4	17			
	28	49	772534	22	57	786698	60	53			
701338	11	9	772891	25	51	786699	59	53			
701364	12	35	772892	11	51	786700	58	53			
701414	12	19		4	54	786787	20	67			
	12	21	772953	17	51	787106	17	16			
	14	23		8	54	787121	1	9			
701486	27	15	772965	24	51	787122	1	9			
701488	18	13		7	54	787753	19	57			
702013	6	65	773037	54	53	787754	18	57			
702015	1	64	773038	56	53	787755	21	57			
705919	23	51	773045	25	51	787758	1	45			
706916	41	53	773055	36	53	788907	35	11			
707372	10	57	773078	50	43	788909	24	11			
707514	7	27		46	49	788942	23	23			
	7	33	773079	52	43	791008	12	9			
707682		54		48	49	791009	10	9			
708694	29	11	773080	48	43	791469	58	43			
708756	28	51		44	49	791470	57	43			
709118	22	51	773088	53	43	791471	31	31			
713100	27	15	773126	35	37	791472	33	31			
713427	16	9	773129	37	37	791833	32	31			
713428	21	11	773132	36	37	791834	30	29			
713588	7	19	773134	38	37	792381	17	35			
	7	21	773136	36	37	795337		51			
	8	22	773138	38	37	796057	31	31			
714616	2	19	773192	24	41	796059	33	31			

